## FOR INDUSTRIAL USE - NOT FOR RETAIL SALE

FOR USE IN THE MANUFACTURING PROCESS ONLY.

## READ ENTIRE LABEL CAREFULLY BEFORE USING PRODUCT.

USES: By following the provisions of the FDA regulations in 21 CFR, Part 178.3570 and 178.3530, this Silicone Spray with incidental food contact may be safely used on machinery used for producing, manufacturing, packing, processing, preparing, treating, packaging, transporting, or holding food.

This Silicone Spray may be used on food-processing equipment as a protective anti-rust film, as a release agent on gaskets or seals of tank closures, and as a lubricant for machine parts and equipment in locations in which there is exposure of the lubricated part to food.

Use on cool ovens ONLY. Avoid spraying pilot light. Ends "poly build-up" on surfaces such as mandrels, transfers chutes, and guide rails on paper carton machines. Coats hot or cold sealing bars on heat-sealing equipment. Prevents waxes, films, adhesives, and glues from collecting and jamming high speed equipment. Keeps waxed paper and plastic film from sticking and tearing. Eliminates pile-up, browning and ink smear. Assures a clean package every time.

**DIRECTIONS:** Shake well before using. Clean surface thoroughly. Spray light film on surface. If used on sticking parts, work back and forth and reapply.

ATTENTION: Do not allow spray, mist or coating to cover floors; they may become slippery, especially when wet.

⚠ WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. www.P65Warnings.ca.gov



#### WECHEM, INC.

5734 Susitna Dr., Harahan, LA 70123 504.733.1152 | 800.426.0512 | FAX 504.733.2218 www.wechem.com



REV 2/22



# FOOD GRADE FOR THE FOOD PACKAGING AND PROCESSING INDUSTRY

UNIVERSAL LUBRICANT RETARDS RUST & CORROSION ODORLESS & COLORLESS

### DANGER:

EXTREMELY FLAMMABLE AEROSOL. CONTAINS
GAS UNDER PRESSURE; MAY EXPLODE IF HEATED.
CAUSES SERIOUS EYE IRRITATION. CAUSES SKIN
IRRITATION. SUSPECTED OF DAMAGING FERTILITY.
MAY BE FATAL IF SWALLOWED AND ENTERS
AIRWAYS. MAY CAUSE RESPIRATORY IRRITATION.
MAY CAUSE DROWSINESS OR DIZZINESS.
MAY CAUSE DAMAGE TO ORGANS THROUGH
PROLONGED OR REPEATED EXPOSURE.

**NET WT. 9.75 OZ. (276 g)** 









DANGER: Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Causes serious eye irritation. Causes skin irritation. Suspected of damaging fertility. May be fatal if swallowed and enters airways. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs through prolonged or repeated exposure.

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Do not breathe mist, vapors or spray. Wash hands thoroughly after handling.

Get medical attention if you feel unwell.

IF exposed or concerned: Get medical attention.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical attention.

IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical attention.

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations. DELAYED EFFECTS FROM LONG TERM OVEREXPOSURE: Contains solvents which can cause permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Please refer to the SDS for additional information. Keep out of reach of children. Keep upright in a cool, dry place. Do not discard empty can in trash compactor.

CONTAINS [CAS#]: Acetone [67-64-1], Hexane [110-54-3], Propane [74-98-6], 2-Methylpentane [107-83-5], 3-Methylpentane [96-44-0], 2,3-Dimethylbutane [79-29-8], Cyclohexane [110-82-7], 2,2-Dimethylbutane [75-83-2], Cyclopentane [287-92-3]

24 HOUR MEDICAL EMERGENCY: 1-800-535-5053. CONTAINS NO OZONE DEPLETING CHEMICALS.