

**NEUTRALIZER** provides a one-step solution to battery terminal corrosion removal and acid neutralization. Delivers a powerful, heavy-duty foam that clings to battery surfaces, provides extended contact time and neutralizes acid quickly. Helps eliminate power leaks and aids in restoring full starting power.

**FOR USE ON:**

**Fleet Cars · Trucks and Buses**

**Taxi Fleets · Forklifts**

**Construction, Agricultural and Marine Equipment**

**Aircraft · Golf Carts · Postal Vehicles · Industrial Battery Backup Systems.**


**DIRECTIONS:**

**SHAKE WELL BEFORE USING**

Spray on cables, clamps, terminals, brackets, housings and entire battery surface. (Be sure cell covers are tightly sealed). Product will spray out light yellow and turn red in the presence of acid. Allow foam to work for several minutes, then flush off with water or a damp cloth. For severe corrosion, follow with a second application. If solution still turns red, acid neutralization process is not complete. Allow to set then repeat. For heavy deposits, agitation with a wire brush may be needed. If sprayed foam remains yellow... all acid has been neutralized. Allow product to dry and form residual protective film.



Engineered Chemistries  
**SUPERIOR SOLUTIONS**



**INCREASES BATTERY LIFE**  
**IMPROVES BATTERY PERFORMANCE**  
**MINIMIZES CURRENT LEAKS**  
**LEAVES PROTECTIVE FILM**

**DANGER**

**EXTREMELY FLAMMABLE AEROSOL.**  
**CONTAINS GAS UNDER PRESSURE.**  
**MAY EXPLODE IF HEATED.**

NET WT: 18 OZ. (510g)



**DANGER**

Extremely Flammable Aerosol. Contains gas under pressure; may explode if heated. Causes eye irritation.

Keep away from heat, sparks, open flames, and hot surfaces. –No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Wash hands thoroughly after handling.

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

CONTAINS (CAS#): Water (7732-18-5), Propane/n-Butane (68476-86-8), Isopropyl Alcohol (67-63-0), 2-Butoxyethanol (111-76-2).

**KEEP OUT OF REACH OF CHILDREN.**

See Safety Data Sheet for complete safety information.  
24 HOUR MEDICAL EMERGENCY: 1-800-535-5053.

SCAN FOR SDS



WEICHEM, INC.  
5734 Susitna Dr. · Harahan, LA 70123  
504.733.1152 · 1.800.426.0512  
FAX 504.733.2218 · www.wechem.com