

Sunshine

SDS Number: A220A

Revision Date: 3/15/2023

Page 1 of 10

1

## PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Wechem, Inc  
5734 Susitna Dr  
Harahan, LA 70123

**Contact:** Ligia M. Hernandez  
**Phone:** 504-733-1152  
**Fax:** 504-733-2218  
**Web:** www.wechem.com

**Product Identifier:** Sunshine  
**SDS Number:** A220A  
**Product Code:** A220  
**Revision Date:** 3/15/2023  
**Product Use:** Wood & Furniture Cleaner / Polish

Emergency Telephone Number:  
INFOTRAC  
1-800-535-5053

2

## HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Gases Under Pressure, Liquefied Gas  
Health, Aspiration hazard, 1  
Health, Skin corrosion/irritation, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A

### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** DANGER

**GHS Hazard Pictograms:**



#### GHS Hazard Statements:

H280 - Contains gas under pressure; may explode if heated  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation

#### GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Pressurized container: Do not pierce or burn, even after use.  
P264 - Wash hands and face thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280b - Wear protective gloves/eye protection/face protection.  
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P302 - IF ON SKIN: Wash with plenty of water. Get medical attention immediately.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

**Sunshine**

SDS Number: A220A

Revision Date: 3/15/2023

Page 2 of 10

- P312 - Call a POISON CENTER/doctor if you feel unwell.
- P315 - Get immediate medical advice/attention.
- P331 - Do NOT induce vomiting.
- P332 + P313 - If skin irritation occurs: Get medical advice/attention.
- P337 + P313 - If eye irritation persists: Get medical advice/attention.
- P362 + P364 - Take off contaminated clothing and wash it before reuse.
- P403 - Store in a well-ventilated place.
- P405 - Store locked up.
- P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F
- P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazards not Otherwise Classified (HNOC) or not Covered by GHS**

- Route of Entry:** Ingestion, skin absorption, eye, inhalation
- Target Organs:** NA
- Inhalation:** May cause respiratory tract irritation.
- Skin Contact:** May cause skin irritation.
- Eye Contact:** May cause serious eye irritation.
- Ingestion:** Harmful or fatal if swallowed. Aspiration hazard. Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

**3 COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Ingredients:		
CAS#	%	Chemical Name:
64742-47-8	5-10%	Distillates, petroleum, hydrotreated light
75-28-5	5-10%	Isobutane
74-98-6	10-20%	Propane
8042-47-5	10-20%	Mineral oil

**4 FIRST AID MEASURES**

- Inhalation:** Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
  - Skin Contact:** Wash with plenty of soap and water. If skin irritation or rash occurs get medical attention. Take off contaminated clothing and wash it before reuse.
  - Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
  - Ingestion:** Harmful or fatal if swallowed. Do not induce vomiting. Seek medical attention immediately. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.
- DANGER. Contents under pressure. Harmful or fatal if swallowed. Aspiration hazard if swallowed. Keep away from heat and flame. Can cause nervous system depression.

**5 FIRE FIGHTING MEASURES**

- Flash Point:** 120 F (liquid portion)
- Suitable fire extinguishing media: Use water spray, fog or foam.

Specific hazards arising from the chemical:  
 In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

Hazardous thermal decomposition products: Carbon Dioxide, Carbon Monoxide

Specific fire-fighting methods:  
 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Sunshine**

SDS Number: A220A

Revision Date: 3/15/2023

Page 3 of 10

Special protective equipment for fire fighters:  
Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

<b>6</b>	<b>ACCIDENTAL RELEASE MEASURES</b>
----------	------------------------------------

**Personal precautions:**

Put on appropriate personal protective equipment (see section 8)

**Environmental precautions and clean-up methods:**

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

<b>7</b>	<b>HANDLING AND STORAGE</b>
----------	-----------------------------

**Handling Precautions:** Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container.

Level 1 Aerosol

**Storage Requirements:** Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

Level 1 Aerosol (NFPA 30B).

<b>8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
----------	--

**Engineering Controls:** Good general ventilation required.  
**Personal Protective Equipment:** Eye Protection: Wear safety glasses or goggles.  
Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

Do not get in eyes. When using do not smoke. Avoid contact with skin. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Distillates (petroleum), hydrotreated light (CAS # 64742-47-8) [5-10%]**

ACGIH TLV 200 mg/m3 TWA

Isobutane cas#:(75-28-5) [5-10%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

Central Nervous System impairment Cardiac sensitization

**Sunshine**

SDS Number: A220A

Revision Date: 3/15/2023

Page 4 of 10

TWA 800 ppm USA. NIOSH Recommended Exposure Limits  
1,900 mg/m3

Also see specific listing for n-Butane.

Propane cas#:(74-98-6) [10-20%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values  
(TLV)

Central Nervous System impairment  
Cardiac sensitization

TWA 1,000 ppm USA. Occupational Exposure Limits  
1,800 mg/m3 (OSHA) - Table Z-1 Limits for Air  
Contaminants

The value in mg/m3 is approximate.

TWA 1,000 ppm USA. OSHA - TABLE Z-1 Limits for  
1,800 mg/m3 Air Contaminants - 1910.1000

TWA 1,000 ppm USA. NIOSH Recommended  
1,800 mg/m3 Exposure Limits

Mineral oil cas#:(8042-47-5) [10-20%]  
ACGIH TLV 5 mg/m3 - mist

**9 PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Creamy Emulsion	<b>Odor:</b>	Lemon
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	80% (in Water)
<b>Spec Grav./Density:</b>	(H2O=1): 1.0	<b>Flash Point:</b>	120 F (liquid portion)
<b>pH:</b>	7-9	<b>VOC:</b>	7.5 %wt

**10 STABILITY AND REACTIVITY**

<b>Reactivity:</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Chemical Stability:</b>	Stable under normal conditions.
<b>Conditions to Avoid:</b>	High temperatures, open flames, sparks, welding.
<b>Materials to Avoid:</b>	Acids and strong oxidizers
<b>Hazardous Decomposition:</b>	CO, CO2. Vapors may ignite at temperatures exceeding flash point.
<b>Hazardous Polymerization:</b>	Does not occur.

**11 TOXICOLOGICAL INFORMATION**

**Primary Route of Entry:** Skin contact, inhalation

**Acute/Potential Health Effects:**

---

Sunshine

SDS Number: A220A

Revision Date: 3/15/2023

Page 5 of 10

**EYES:** May cause serious eye irritation. Symptoms include stinging, tearing and redness.

**SKIN:** May cause skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying of skin and skin burns.

**INHALATION:** High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects, including death. May cause peripheral nervous system disorder and/or damage.

**INGESTION:** Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

**Chronic / Long Term Effects:** Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Signs and Symptoms of Overexposure: Signs and symptoms of overexposure to this material through breathing, swallowing, and/or passage of material through the skin may include: stomach or intestinal upset (nausea vomiting, diarrhea) irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness).

**Target Organ Effects:** Central nervous system.

**Reproductive/Developmental Information:** None known

**Carcinogenic Information:** This material is not listed as a carcinogen by IARC, NTP or OSHA.

**Acute Toxicity Values:**

Not available.

Isobutane cas#:(75-28-5) [5-10%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

---

Sunshine

SDS Number: A220A

Revision Date: 3/15/2023

Page 6 of 10

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: narcosis, Dermatitis

Synergistic effects: no data available

Additional Information:

RTECS: TZ4300000

Propane cas#:(74-98-6) [10-20%]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

---

Sunshine

SDS Number: A220A

Revision Date: 3/15/2023

Page 7 of 10

confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TX2275000

Dizziness, Drowsiness, Unconsciousness

Mineral oil cas#:(8042-47-5) [10-20%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

**Sunshine**

SDS Number: A220A

Revision Date: 3/15/2023

Page 8 of 10

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: Aspiration may lead to:, lipid pneumonia, Effects due to ingestion may include:, laxative effect, Gastrointestinal disturbance, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: PY8047000

12

## ECOLOGICAL INFORMATION

Isobutane cas#:(75-28-5) [5-10%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Propane cas#:(74-98-6) [10-20%]



**Sunshine**

SDS Number: A220A

Revision Date: 3/15/2023

Page 9 of 10

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Mineral oil cas#:(8042-47-5) [10-20%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: Mobility in soil:

PBT and vPvB assessment: no data available

Other adverse effects: no data available

<b>13</b>	<b>DISPOSAL CONSIDERATIONS</b>
-----------	--------------------------------

Waste must be disposed of in accordance with federal, state and local environmental control regulations. See label for further instructions.

<b>14</b>	<b>TRANSPORT INFORMATION</b>
-----------	------------------------------

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

<b>UN number</b>	1950
<b>Proper shipping name</b>	Aerosols, nonflammable
<b>Class</b>	2.2
<b>Packing group</b>	-

<b>15</b>	<b>REGULATORY INFORMATION</b>
-----------	-------------------------------

[%] RQ (CAS#) Substance - Reg Codes

-----

[5-10%] Distillates, petroleum, hydrotreated light (64742-47-8) TSCA

[5-10%] Isobutane (75-28-5) MASS, PA, TSCA

[10-20%] Propane (74-98-6) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[10-20%] Mineral oil (8042-47-5) TSCA

# SDS

Sunshine

SDS Number: A220A

Revision Date: 3/15/2023

Page 10 of 10

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

## Regulatory Code Legend

-----  
TSCA = Toxic Substances Control Act  
MASS = MA Massachusetts Hazardous Substances List  
PA = PA Right-To-Know List of Hazardous Substances  
NJHS = NJ Right-to-Know Hazardous Substances  
OSHA = OSHA Workplace Air Contaminants  
TXAIR = TX Air Contaminants with Health Effects Screening Level

16

## OTHER INFORMATION

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

N/A = Not available                      N/D = Not determined

Revision Date: 3/15/2023