

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 1 of 13

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123

Contact: Ligia M. Hernandez
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Identifier: Swipe
SDS Number: A225A
Product Code: A225
Revision Date: 5/17/2023
Product Use: Heavy Duty Spray & Wipe Cleaner

Emergency Telephone Number:
INFOTRAC
1-800-535-5053

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):
Physical, Gases Under Pressure, Liquefied Gas
Health, Skin corrosion/irritation, 1

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:



GHS Hazard Statements:

H280 - Contains gas under pressure; may explode if heated
H314 - Causes severe skin burns and eye damage

GHS Precautionary Statements:

P102 - Keep out of reach of children.
P103 - Read label and SDS before use.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P251 - Pressurized container: Do not pierce or burn, even after use.
P261 - Avoid breathing mists.
P264 - Wash thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P280a - Wear eye and face protection.
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 2 of 13

P310 - Immediately call a POISON CENTER or doctor/physician.
 P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.
 P403 - Store in a well-ventilated place.
 P405 - Store locked up.
 P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Skin contact, eye contact, inhalation
Target Organs: NA
Inhalation: May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin Contact: Causes severe skin burns .May cause an allergic skin reaction.
Eye Contact: Causes serious eye damage.
Ingestion: Harmful if swallowed. Causes digestive tract burns.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
112-34-5	1-5%	Diethylene glycol n-butyl ether
67-63-0	1-5%	Isopropanol
74-98-6	1-5%	Propane
75-28-5	1-5%	Isobutane
7601-54-9	1-5%	Trisodium Phosphate

4 FIRST AID MEASURES

Inhalation: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or a doctor.
Skin Contact: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water/shower. If skin irritation persists get medical attention.
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a poison center or a physician.
Ingestion: Rinse mouth. Do not induce vomiting. Seek medical attention immediately.

DANGER. May be harmful if swallowed. Causes severe skin burns and eye damage.

5 FIRE FIGHTING MEASURES

Flammability: Non-Flammable
Flash Point: None (Liquid Portion)
 Suitable fire extinguishing media: Use water spray, fog or foam.

Specific hazards arising from the chemical: In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed.

Hazardous thermal decomposition products: Carbon Dioxide, Carbon Monoxide

Specific fire-fighting methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire fighters: Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 3 of 13

6

ACCIDENTAL RELEASE MEASURES

Personal precautions:

Put on appropriate personal protective equipment (see section 8)

Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

7

HANDLING AND STORAGE

Handling Precautions:

Do not use or store near heat, sparks or open flame. Exposure to temperatures above 120 F may cause bursting. Do not puncture or incinerate container.

Level 1 Aerosol

Storage Requirements:

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50C/122F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition.

Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful or fatal. Keep out of reach of children.

Level 1 Aerosol

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Personal Protective Equipment:

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Diethylene glycol n-butyl ether cas#:(112-34-5) [1-5%]

Isopropanol cas#:(67-63-0) [1-5%]

Components with workplace control parameters

TWA 200 ppm USA. ACGIH Threshold Limit Values

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 4 of 13

(TLV)

Eye & Upper Respiratory Tract irritation
Central Nervous System impairment
Not classifiable as a human carcinogen

STEL 400 ppm USA. ACGIH Threshold Limit Values
(TLV)

Eye & Upper Respiratory Tract irritation
Central Nervous System impairment
Not classifiable as a human carcinogen

TWA 400 ppm USA. OSHA - TABLE Z-1 Limits for
980 mg/m³ Air Contaminants - 1910.1000

STEL 500 ppm USA. OSHA - TABLE Z-1 Limits for
1,225 mg/m³ Air Contaminants - 1910.1000

TWA 400 ppm USA. Occupational Exposure Limits
980 mg/m³ (OSHA) - Table Z-1 Limits for Air
Contaminants

The value in mg/m³ is approximate.

TWA 400 ppm USA. NIOSH Recommended
980 mg/m³ Exposure Limits

ST 500 ppm USA. NIOSH Recommended
1,225 mg/m³ Exposure Limits

Propane cas#:(74-98-6) [1-5%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values
(TLV)

Central Nervous System impairment
Cardiac sensitization

TWA 1,000 ppm USA. Occupational Exposure Limits
1,800 mg/m³ (OSHA) - Table Z-1 Limits for Air
Contaminants

The value in mg/m³ is approximate.

TWA 1,000 ppm USA. OSHA - TABLE Z-1 Limits for
1,800 mg/m³ Air Contaminants - 1910.1000

TWA 1,000 ppm USA. NIOSH Recommended
1,800 mg/m³ Exposure Limits

Isobutane cas#:(75-28-5) [1-5%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)
Central Nervous System impairment Cardiac sensitization

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 5 of 13

TWA 800 ppm USA. NIOSH Recommended Exposure Limits
1,900 mg/m³
Also see specific listing for n-Butane.

Trisodium Phosphate cas#:(7601-54-9) [1-5%]

Components with workplace control parameters

STEL 5 mg/m³ USA. Workplace Environmental Exposure Levels
(WEEL)

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear spray/mist	Odor:	Slight solvent
Physical State:	Liquid	Solubility:	Complete in water
Spec Grav./Density:	1.0	Flash Point:	None (Liquid Portion)
pH:	12-13	VOC:	8.0% wt

10

STABILITY AND REACTIVITY

Reactivity:	Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	High temperatures, open flames, sparks, welding.
Materials to Avoid:	Acids and strong oxidizers
Hazardous Decomposition:	CO, CO ₂
Hazardous Polymerization:	Will not occur

11

TOXICOLOGICAL INFORMATION**Primary Route of Entry:** Skin contact, eye contact, inhalation**Acute/Potential Health Effects:****EYES:** Causes severe irritation experienced as discomfort or pain, excess blinking and tear production, with redness and swelling of the conjunctiva.**SKIN:** Brief contact may cause slight irritation. Prolonged contact may cause more severe irritation with pain, local redness and swelling and possible tissue destruction.**INHALATION:** High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract.**INGESTION:** May be harmful or fatal if swallowed. Corrosive. Can cause severe burns and complete tissue perforation of mucous membranes, mouth, throat and stomach.**Target Organ Effects:** Liver, kidney, lungs and upper respiratory tract, gastrointestinal tract, eyes.**Chronic / Long Term Effects:** None known.**Reproductive/Developmental Information:** No data.**Carcinogenic Information:** This material is not listed as a carcinogen by IARC, NTP or OSHA.

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 6 of 13

Diethylene glycol n-butyl ether cas#:(112-34-5) [1-5%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - male - 7,291 mg/kg (OECD Test Guideline 401)

Inhalation: no data available

LD50 Dermal - rabbit - male - 2,764 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation - 1 h (OECD Test Guideline 404)

Serious eye damage/eye irritation: Eyes - rabbit Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation: Maximisation Test - guinea pig Result: Does not cause skin sensitisation. (OECD Test Guideline 406)

Germ cell mutagenicity: Ames test S. typhimurium Result: negative

OECD Test Guideline 477 Drosophila melanogaster - male and female

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - rat - male and female - Dermal:

No adverse effect has been observed in chronic toxicity tests.

no data available

Developmental Toxicity - rabbit - Dermal:

No adverse effect has been observed in chronic toxicity tests.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 250 mg/kg RTECS: KJ9100000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Stomach - Irregularities - Based on Human Evidence

Isopropanol cas#:(67-63-0) [1-5%]

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 7 of 13

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 5,045 mg/kg Remarks: Behavioral:Altered sleep time (including change in righting reflex).
Behavioral:Somnolence (general depressed activity).
LC50 Inhalation - rat - 8 h - 16000 ppm
LD50 Dermal - rabbit - 12,800 mg/kg
no data available

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation

Serious eye damage/eye irritation: Eyes - rabbit Result: Eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Propanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: NT8050000

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects.
Kidney - Irregularities - Based on Human Evidence

Propane cas#:(74-98-6) [1-5%]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 8 of 13

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TX2275000

Dizziness, Drowsiness, Unconsciousness

Isobutane cas#:(75-28-5) [1-5%]

Information on toxicological effects**Acute toxicity:**

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 9 of 13

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: narcosis, Dermatitis

Synergistic effects: no data available

Additional Information:

RTECS: TZ4300000

Trisodium Phosphate cas#:(7601-54-9) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: Skin - rabbit - Irritating to skin.

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 10 of 13

Specific target organ toxicity - single exposure (Globally Harmonized System):
Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: TC9490000

12

ECOLOGICAL INFORMATION

Diethylene glycol n-butyl ether cas#:(112-34-5) [1-5%]

Information on ecological effects

Toxicity:

Toxicity to fish static test LC50 - *Lepomis macrochirus* - 1,300 mg/l - 96 h.
(OECD Test Guideline 203)

Toxicity to daphnia and static test EC50 - *Daphnia magna* (Water flea) - > 100 mg/l - 48 h.
other aquatic (Directive 67/548/EEC, Annex V, C.2.) invertebrates

Toxicity to algae static test EC50 - *Desmodesmus subspicatus* (*Scenedesmus subspicatus*) - >:
100 mg/l - 96 h (OECD Test Guideline 201)

Toxicity to bacteria LC50 - *Pseudomonas putida* - 1,170 mg/l - 16 h.

Persistence and degradability: Biodegradability aerobic - Exposure time 28 d Result: 91.7 % - Readily biodegradable. (OECD Test Guideline 301B)

Bioaccumulative potential: Does not bioaccumulate.

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Isopropanol cas#:(67-63-0) [1-5%]

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 11 of 13

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 9,640.00 mg/l - 96 h.

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 5,102.00 mg/l - 24 h.

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 6,851 mg/l - 24 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - > 2,000.00 mg/l - 72 h.

EC50 - Algae - > 1,000.00 mg/l - 24 h

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Propane cas#:(74-98-6) [1-5%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Isobutane cas#:(75-28-5) [1-5%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 12 of 13

Other adverse effects: no data available

Trisodium Phosphate cas#:(7601-54-9) [1-5%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 28.5 mg/l - 96 h.

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life.
no data available

13

DISPOSAL CONSIDERATIONS

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14

TRANSPORT INFORMATION

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN number 1950

Proper shipping name Aerosols, nonflammable

Class 2.2

Packing group -

15

REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[1-5%] Diethylene glycol n-butyl ether (112-34-5) HAP, SARA313, TSCA

[1-5%] Isopropanol (67-63-0) MASS, NJHS, NRC, OSHAWAC, PA, TSCA, TXAIR

Swipe

SDS Number: A225A

Revision Date: 5/17/2023

Page 13 of 13

[1-5%] Propane (74-98-6) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[1-5%] Isobutane (75-28-5) MASS, PA, TSCA

[1-5%] RQ(5000LBS), Trisodium Phosphate (7601-54-9) CERCLA, CSWHS, PA, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

RQ = Reportable Quantity
HAP = Hazardous Air Pollutants
SARA313 = SARA 313 Title III Toxic Chemicals
TSCA = Toxic Substances Control Act
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
NRC = Nationally Recognized Carcinogens
OSHA = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TXAIR = TX Air Contaminants with Health Effects Screening Level
CERCLA = Superfund clean up substance
CSWHS = Clean Water Act Hazardous substances

16	OTHER INFORMATION
----	--------------------------

Disclaimer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable laws, regulations, rules or insurance requirements.

N/A = Not available N/D = Not determined

Revision Date: 5/17/2023