

SDS

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 1 of 10

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123

Contact: Ligia M. Hernandez
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Identifier: Citro 100
SDS Number: A291A
Product Code: A291
Revision Date: 5/17/2022
Product Use: Degreasing Solvent

Emergency Telephone Number:
INFOTRAC
1-800-535-5053

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1
Health, Aspiration hazard, 1
Physical, Gases Under Pressure, Liquefied Gas
Health, Skin corrosion/irritation, 2
Health, Serious Eye Damage/Eye Irritation, 2 B

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

H222 - Extremely flammable aerosol
H229 - Pressurized container: may burst if heated
H304 - May be fatal if swallowed and enters airways
H280 - Contains gas under pressure; may explode if heated
H315 - Causes skin irritation
H320 - Causes eye serious irritation

GHS Precautionary Statements:

P103 - Read label and SDS before use.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 - Wash thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 2 of 10

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
 P302 - IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P306 - IF ON CLOTHING: Wash contaminated clothing before reuse.
 P337 + P313 - If eye irritation persists: Get medical advice/attention.
 P405 - Store locked up.
 P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Eye, inhalation, skin absorption, ingestion
Target Organs: N/A
Inhalation: Prolonged inhalation may be harmful.
Skin Contact: May cause skin irritation.
Eye Contact: May cause serious eye irritation.
Ingestion: May be fatal if swallowed and enters airways.



3 COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Ingredients: | | |
|-----------------------|--------|----------------|
| CAS# | % | Chemical Name: |
| 5989-27-5 | 90-95% | D-limonene |
| 74-98-6 | 10-20% | Propane |
| 106-97-8 | 1-5% | Butane |

4 FIRST AID MEASURES

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
Skin Contact: Wash with plenty of soap and water. If skin irritation or rash occurs get medical attention. Take off contaminated clothing and wash it before reuse.
Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Ingestion: Harmful or fatal if swallowed. Seek medical attention immediately. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

DANGER. Extremely flammable. Contents under pressure. Harmful or fatal if swallowed. Aspiration hazard if swallowed. Keep away from heat and flame. Can cause nervous system depression.

5 FIRE FIGHTING MEASURES

Flammability: Extremely Flammable Aerosol

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 3 of 10

Flash Point: 120 F (Liquid portion)
 Suitable fire extinguishing media: Use water spray, fog or foam.

Specific hazards arising from the chemical: Flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Bursting aerosol containers may be propelled from a fire at high speed. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products: Carbon Dioxide, Carbon Monoxide.

Specific fire-fighting methods: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire fighters: Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in a positive pressure mode.

| | |
|----------|------------------------------------|
| 6 | ACCIDENTAL RELEASE MEASURES |
|----------|------------------------------------|

Personal precautions:

Put on appropriate personal protective equipment (see section 8)

Environmental precautions and clean-up methods:

Stop all leaks. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all ignition sources. Disperse vapors with water spray. Prevent runoff from entering drains, sewers, streams or other bodies of water. Absorb spill with inert material. **DO NOT use clay-type absorbent materials.** Absorb unrecoverable product. Transfer contaminated absorbent, soil and other materials to containers for disposal.

| | |
|----------|-----------------------------|
| 7 | HANDLING AND STORAGE |
|----------|-----------------------------|

Handling Precautions:

Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing mist or vapor. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Use only in a well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Level 3 Aerosol.

Storage Requirements:

Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50C/122F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Level 3 Aerosol.

| | |
|----------|----------------------------------------------|
| 8 | EXPOSURE CONTROLS/PERSONAL PROTECTION |
|----------|----------------------------------------------|

Engineering Controls:

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Personal Protective Equipment:

Eye Protection: Wear safety glasses or goggles.

Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 4 of 10

Respiratory Protection: When respiratory protection is required use an organic vapor cartridge. A respiratory program that meets OSHA's 29 CFR 1910.34 & ANSI Z88.2 requirements must be followed.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Propane cas#:(74-98-6) [10-20%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

Central Nervous System impairment
Cardiac sensitization

TWA 1,000 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
1,800 mg/m3

The value in mg/m3 is approximate.

TWA 1,000 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
1,800 mg/m3

TWA 1,000 ppm USA. NIOSH Recommended Exposure Limits
1,800 mg/m3

Butane cas#:(106-97-8) [1-5%]

Components with workplace control parameters

TWA 800 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
1,900 mg/m3

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)
Central Nervous System impairment Cardiac sensitization

TWA 800 ppm USA. NIOSH Recommended Exposure Limits
1,900 mg/m3

Also see specific listing for Isobutane.

| | |
|----------|-----------------------------------------|
| 9 | PHYSICAL AND CHEMICAL PROPERTIES |
|----------|-----------------------------------------|

| | | | |
|----------------------------|-------------------|---------------------|------------------------|
| Appearance: | Clear, spray mist | Odor: | Citrus |
| Physical State: | Liquid | Flash Point: | 120 F (Liquid portion) |
| Spec Grav./Density: | 0.8 | VOC: | 98%wt. |

| | |
|-----------|---------------------------------|
| 10 | STABILITY AND REACTIVITY |
|-----------|---------------------------------|

Reactivity: Under normal conditions of storage and use, hazardous reactions will not occur.

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 5 of 10

Chemical Stability: Stable under normal conditions.
Conditions to Avoid: High temperatures, open flames, sparks, welding. Vapors may ignite at temperatures exceeding flash point.
Materials to Avoid: Acids, strong oxidizers, inorganic clays (clay-type absorbents)
Hazardous Decomposition: CO, CO₂
Hazardous Polymerization: Will not occur

11

TOXICOLOGICAL INFORMATION

Primary Route of Entry: Skin contact, inhalation, ingestion

Acute/Potential Health Effects:

EYES: May cause serious eye irritation. Symptoms include stinging, tearing and redness.

SKIN: May cause skin irritation. Prolonged or repeated contact may dry the skin and cause sensitization. Symptoms may include redness, burning, drying of skin and skin burns.

INHALATION: High vapor/aerosol concentrations (>1000 ppm) are irritating to the eyes and respiratory tract. May cause nose, throat and respiratory tract irritation, coughing and headache.

INGESTION: Harmful or fatal if swallowed. Aspiration hazard - this material can enter lungs during swallowing or vomiting and cause lung inflammation and damage.

Chronic / Long Term Effects: None known.

Target Organ Effects: Skin.

Reproductive/Developmental Information:

Carcinogenic Information: This material is not listed as a carcinogen by IARC, NTP or OSHA.

Acute Toxicity Values:

Not available.

D-limonene cas#:(5989-27-5) [90-95%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 4,400 mg/kg Remarks: Behavioral:Change in motor activity (specific assay). Respiratory disorder Skin and Appendages:

Other: Hair. Inhalation: Irritating to respiratory system.

LD50 Dermal - rabbit - > 5,000 mg/kg

no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: May cause sensitisation by skin contact.

Germ cell mutagenicity: no data available

Carcinogenicity:

Carcinogenicity - rat - Oral:

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 6 of 10

Tumorigenic: Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder: Kidney tumors. Tumorigenic Effects: Testicular

Carcinogenicity - mouse - Oral:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Gastrointestinal: Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (D-Limonene)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: GW6360000

Liver - Irregularities - Based on Human Evidence

Propane cas#:(74-98-6) [10-20%]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 7 of 10

NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TX2275000

Dizziness, Drowsiness, Unconsciousness

Butane cas#:(106-97-8) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50 LC50 Inhalation - rat - 4 h - 658,000 mg/m3

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 8 of 10

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, giddiness, Shortness of breath, narcosis, Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite., Exposure can cause numbness, tingling, and weakness in extremities., Cyanosis, Pulmonary edema. Effects may be delayed., Abdominal pain, Nausea, Vomiting

Synergistic effects: no data available

Additional Information:

RTECS: EJ4200000

12

ECOLOGICAL INFORMATION

D-limonene cas#:(5989-27-5) [90-95%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 0.702 mg/l - 96.0 h.

Toxicity to daphnia and EC50 - Daphnia pulex (Water flea) - 69.6 mg/l - 48 h.

other aquatic

invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

Propane cas#:(74-98-6) [10-20%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 9 of 10

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Butane cas#:(106-97-8) [1-5%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

| | |
|-----------|--------------------------------|
| 13 | DISPOSAL CONSIDERATIONS |
|-----------|--------------------------------|

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations.
The waste code should be assigned in discussion between user, the producer and the waste disposal company.

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

| | |
|-----------|------------------------------|
| 14 | TRANSPORT INFORMATION |
|-----------|------------------------------|

| | IATA Information | IMDG Information | U.S. DOT Information |
|----------------------------------|----------------------|-------------------|----------------------|
| UN number: | UN1950 | UN1950 | UN1950 |
| Proper shipping name: | Aerosols, flammable, | Aerosols | Aerosols, flammable |
| Hazard class: | 2.1 | 2.1 | 2.1 |
| Packaging group: | NA | NA | NA |
| Hazardous substance (RQ): | | | No Data Available |
| Marine Pollutant: | | No Data Available | No Data Available |
| Note / Special Provision: | (LTD QTY) | (LTD QTY) | (LTD QTY) |
| Toxic-Inhalation Hazard: | | | No Data Available |

SDS

Citro 100

SDS Number: A291A

Revision Date: 5/17/2022

Page 10 of 10

15

REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[90-95%] D-limonene (5989-27-5) TSCA

[10-20%] Propane (74-98-6) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[1-5%] Butane (106-97-8) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

TSCA = Toxic Substances Control Act

MASS = MA Massachusetts Hazardous Substances List

NJHS = NJ Right-to-Know Hazardous Substances

OSHA = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TXAIR = TX Air Contaminants with Health Effects Screening Level

16

OTHER INFORMATION

The manufacturer believes that the information contained in the Material Safety Data Sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused, nor followed in violation of applicable laws, rules or insurance requirements.

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

N/A = Not available

N/D = Not determined

Revision Date: 5/17/2022