

SDS Number: W210C

Revision Date: 1/19/2023 Page 1 of 6

PRODUCT AND COMPANY IDENTIFICATION

SDS

Manufacturer

Wechem, Inc 5734 Susitna Dr Harahan, LA 70123

Contact:	Ligia M. Hernandez
Phone:	504-733-1152
Fax:	504-733-2218
Web:	www.wechem.com

Product Identifier:	SEA POWER
SDS Number:	W210C
Product Code:	W210
Revision Date:	1/19/2023
Product Use:	Marine Cleaner & Degreaser

Emergency Telephone Number: INFOTRAC 1-800-535-5053

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Skin corrosion/irritation, 3

- Health, Serious Eye Damage/Eye Irritation, 2 B
- Health, Specific target organ toxicity Single exposure, 3
- Health, Aspiration hazard, 2

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: WARNING

GHS Hazard Pictograms:



GHS Hazard Statements:

- H316 Causes mild skin irritation
- H320 Causes eye irritation
- H335 May cause respiratory irritation
- H305 May be harmful if swallowed and enters airways

GHS Precautionary Statements:

- P102 Keep out of reach of children.
- P281 Use personal protective equipment as required.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry:	Ingestion, eye, skin absorption
Inhalation:	Generated mist can be irritating to respiratory tract.
Skin Contact:	May cause irritation
Eye Contact:	Causes irritation
Ingestion:	May cause gastrointestinal irritation. nausea, diarrhea



SDS Number: W210C

Revision Date: 1/19/2023

Page 2 of 6

COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:			
CAS#	%	Chemical Name:	
6834-92-0		Sodium Metasilicate	
34590-94-8	1-4%	Dipropylene glycol methyl ether	

Balance of ingredients are a trade secret as per OSHA 29CFR 1910.1200

FIRST AID MEASURES

Inhalation:Remove to fresh air. Resuscitate if necessary. Get medical attention.Skin Contact:Wash with soap and water. If irritated, seek medical attention.Eye Contact:Flush with water for 15 minutes. If irritated, seek medical attention.Ingestion:Do not induce vomiting. Drink two large glasses of water. Get immediate medical attention.

FIRE FIGHTING MEASURES

Flammability:	ND		
Flash Point:	None to boiling		
Flash Point Method:	NA		
Burning Rate:	ND		
Autoignition Temp:	ND		
LEL:	ND		
UEL:	ND		
Extinguishing media: Foam, dry chemical, carbon dioxide, water			

Special Fire fighting procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire & Explosion Hazard: None

ACCIDENTAL RELEASE MEASURES

Absorb with suitable medium.

7	HANDLING AND STORAGE		
Handling Precautions:	Handle all containers carefully. Store in a cool, dry area		
Storage Requirements:	Handle all containers carefully. Store in a cool, dry area. Keep out of reach of children.		
8	EXPOSURE CONTROLS/PERSONAL PROTECTION		

Hygienic work practices: Wash with soap and water before handling food.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:Clear, yellPhysical State:LiquidParticle Size:NASpec Grav./Density:(H20=1):Viscosity:NA

Clear, yellow liquid Liquid NA (H20=1): 1.02 +/- 0.1 NA

Odor: Molecular Formula: Solubility: Softening Point: Characteristic NA Complete in Water NA



SDS

		SEA POWER						
SDS Number: W210	С			Revisio	n Date:	1/1	9/2	023
					Page	3	of	6
Saturated Vapor Concentration:	NA	Percent Volatile:	NA					
Boiling Point:	Above 212 Deg. F.	Heat Value:	NA					
Vapor Pressure:	ND	Freezing/Melting Pt.:	NA					
pH:	12.5 +/- 1	Octanol:	NA					
Evap. Rate:	NA	Vapor Density:	NA					
Molecular weight:	NA	VOC:	NA					
		Bulk Density:	NA					

STABILITY AND REACTIVITY

Chemical Stability: Conditions to Avoid: Materials to Avoid: Hazardous Decomposition: Hazardous Polymerization: Stable NA Strong acids and oxidizing agents Carbon monoxide, carbon dioxide Will not occur

TOXICOLOGICAL INFORMATION

May cause eye and skin irritation

Mixture classifies as a "minimally toxic" cleaner under the VGP effective 12/19/2013.

The statements are based on the properties of the individual components. Sodium Metasilicate cas#:(6834-92-0) [1-4%]

Information on toxicological effects

Acute toxicity: LD50 Oral - rat - 1,153 mg/kg Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: Severe skin irritation - 24 h

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - rat - Oral:

Effects on Newborn: Stillbirth. Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at day 4). no data available



Revision Date: 1/19/2023 Page 4 of 6

Specific target organ toxicity - single exposure: May cause respiratory irritation.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: VV9275000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Dipropylene glycol methyl ether cas#:(34590-94-8) [1-4%]

Information on toxicological effects

Acute toxicity: Oral LD50 LD50 Oral - rat - 5,152 mg/kg Inhalation LC50 no data available Dermal LD50 Other information on acute toxicity

Skin corrosion/irritation: Serious eye damage/eye irritation:

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System): no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if



SDS Number: W210C

Revision Date: 1/19/2023 Page 5 of 6

swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: JM1575000

ECOLOGICAL INFORMATION

Acute Aquatic Toxicity:

Material is minimally toxic to aquatic organisms on an acute basis LC50 >10 ppm.

Readily Biodegradeable based on OECD criteria Sodium Metasilicate cas#:(6834-92-0) [1-4%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Dipropylene glycol methyl ether cas#:(34590-94-8) [1-4%]

Information on ecological effects

Toxicity: Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - > 10,000 mg/l - 96 h. Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 1,919 mg/l - 48 h. and other aquatic invertebrates

Persistence and degradability: Biodegradability

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available



SDS Number: W210C

Revision Date: 1/19/2023 Page 6 of 6

Other adverse effects: no data available

DISPOSAL CONSIDERATIONS

Dispose of according to local, state, or federal regulations.

4 TRANSPORT INFORMATION

Proper Shipping Name: Not regulated

REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[1-4%] Sodium Metasilicate (6834-92-0) TSCA

[1-4%] Dipropylene glycol methyl ether (34590-94-8) MASS, OSHAWAC, PA, TSCA, TXAIR

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend TSCA = Toxic Substances Control Act MASS = MA Massachusetts Hazardous Substances List OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

OTHER INFORMATION

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. ** Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only N/A = Not available N/D = Not determined

Revision Date: 1/19/2023