

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for Residential Use. This spray is especially designed for use in cafes, restaurants, food storage warehouses, flour mills, meat packing plants and the like. This spray is designed for use in either fogging equipment or hand sprayers.

### INDOOR FOOD HANDLING/PROCESSING FACILITIES:

Surface applications use 19 ozs of this product per 1000 square feet of area. Crack/crevice or spot applications: use 1/2 gallon per 1000 square feet of area. Space sprays: use 1/2 to 1 oz per 1000 cubic feet of space.

**USE RESTRICTION:** do not apply more than 1 time per day.

### COMMERCIAL AND INSTITUTIONAL INDOOR SITES:

Surface applications: use 19 ozs of this product per 1000 square feet of area. Crack/crevice or spot applications: use 1/2 gallon per 1000 square feet of area. Space sprays: use 1/2 to 1 oz per 1000 cubic feet of space.

### USE ON FOOD STORED IN BAGS:

Space sprays may be made to the surfaces of bags of stored food products at the rate of 1/2 to 1 oz of this product per 1000 cubic feet of space.

### USE RESTRICTION: DIRECT APPLICATION TO FOOD CONTACT SURFACES IS PROHIBITED.

Do not enter or allow others to enter until sprays have dried. Do not allow adults, children, or pets to enter the treated area for at least 15 minutes, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosols, vapors, and/or mists have dispersed. Do not make space spray applications when facility is in operation. Prior to space spray applications, cover or remove food. Prior to space spray applications, cover food processing surfaces or clean after treatment and before use.

**FLIES, MOSQUITOES, GNATS:** Close room and discharge mist vigorously in all parts of room. Leave room closed for at least ten minutes. Do not remain in closed treated area. Ventilate when treatment is completed. Sweep up and destroy fallen insects. Repeat as needed.

**FLEAS (INFESTING PREMISES):** Remove and destroy animals' bedding and spray sleeping quarters freely, forcing the spray into all cracks in the floor and about the room. Repeat when reinfested.

**ROACHES, WATERBUGS:** Apply in all cracks and crevices in woodwork, underneath sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

**CLOTHES MOTHS, CARPET BEETLES:** Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

**GRANARY WEEVIL, RICE WEEVIL, CONFUSED FLOUR BEETLE, RUST RED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, CIGARETTE BEETLE, DRUG STORE BEETLE, CADELLES, GRAIN MITES (Accessible Stages):** Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places. Repeat when necessary. Do not treat stored grain with this product.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Do not store at temperatures below 32°F. Store only in original container.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available.



Engineered Chemistries  
SUPERIOR SOLUTIONS

# APACHE INSECTICIDE

## Synergized Pyrethrin Spray for Food Plants and Other Commercial Establishments

### ACTIVE INGREDIENTS

Pyrethrins.....0.300%

\*Piperonyl butoxide.....0.600%

\*\*N-octyl bicycloheptane

dicarboximide.....1.000%

\*\*\*Other Ingredients.....98.100%

\*(butyl carbityl)(6-propylpiperonyl)

ether and related compounds

\*\*MGK 264 Insecticide Synergist

\*\*\*Contains Petroleum Distillates

## KEEP OUT OF REACH OF CHILDREN

# CAUTION

HARMFUL IF SWALLOWED.  
SEE DIRECTIONS AND OTHER PRECAUTIONS  
ON SIDE PANELS.

EPA REG. NO. 3862-105-34370 EPA EST. NO. 3862-GA-1

WECHEM, INC.

5734 Susitna Dr. Harahan, LA 70123

504.733.1152 • 800.426.0512

NET CONTENTS:  
ONE GALLON/3.785 LITERS

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

#### CAUTION

**KEEP OUT OF REACH OF CHILDREN.** Causes moderate eye irritation. Avoid contact with eyes or clothing.

#### PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame. Do not apply this product around electrical equipment due to the possibility of shock hazard.

### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- Long-sleeve shirt,
- Long pants,
- Shoes and socks

In addition to the above PPE, applicators using a high pressure handwand in an enclosed area must wear at least a NIOSH-approved respirator with a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or any R, P, or HE filter.

In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with:

- A dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C,) or
- A canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or
- A cartridge or canister with any R, P, or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions or washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

**USER SAFETY RECOMMENDATIONS:** Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### FIRST AID:

FIRST AID:	
<b>If Swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison center or doctor immediately for treatment advice</li><li>• Do not give any liquid to the person.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"><li>• Take off contaminated clothing.</li><li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If in eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>if inhaled</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact: 1-800-535-5053 for emergency medical information.

NOTE TO PHYSICIAN - Contains petroleum distillate - vomiting may cause aspiration pneumonia.