

Babe

SDS Number: A270A

Revision Date: 6/2/2021

Page 1 of 8

1

## PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Wechem, Inc  
5734 Susitna Dr  
Harahan, LA 70123

**Contact:** Ligia M. Hernandez  
**Phone:** 504-733-1152  
**Fax:** 504-733-2218  
**Web:** www.wechem.com

**Product Identifier:** Babe  
**SDS Number:** A270A  
**Product Code:** A270  
**Revision Date:** 6/2/2021  
**Product Use:** Handheld Air Freshener

Emergency Telephone Number:  
INFOTRAC  
1-800-535-5053

2

## HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1  
Physical, Gases Under Pressure, Liquefied Gas  
Health, Serious Eye Damage/Eye Irritation, 2 A  
Health, Specific target organ toxicity - Single exposure, 3

### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



#### GHS Hazard Statements:

H222 - Extremely flammable aerosol  
H280 - Contains gas under pressure; may explode if heated  
H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness

#### GHS Precautionary Statements:

P101 - If medical advice is needed, have product container or label at hand.  
P102 - Keep out of reach of children.  
P103 - Read label before use.  
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Pressurized container: Do not pierce or burn, even after use.  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 - Wash thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do.

Babe

SDS Number: A270A

Revision Date: 6/2/2021

Page 2 of 8

Continue rinsing.  
 P337 + P313 - If eye irritation persists: Get medical advice/attention.  
 P403 - Store in a well ventilated place.  
 P405 - Store locked up.  
 P410 - Protect from sunlight.  
 P412 - Do not expose to temperatures exceeding 50 °C/122 °F  
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Route of Entry:** Ingestion, skin absorption, eye, inhalation  
**Target Organs:** May cause narcotic effects.  
**Inhalation:** Prolonged inhalation may be harmful. Narcotic effects. Intentional misuse by concentrating and inhaling the product can be harmful or fatal.  
**Skin Contact:** Prolonged contact may cause temporary irritation.  
**Eye Contact:** Cause serious eye irritation.  
**Ingestion:** Expected to be a low ingestion hazard.

3

## COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
67-64-1	50-82%	Acetone
68476-86-8	17-28%	Petroleum gases, liquefied, sweetened
112-27-6	2-3%	Triethylene glycol

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

4

## FIRST AID MEASURES

**Inhalation:** Remove source of exposure or move person to fresh air and keep comfortable for breathing. If exposed/feel unwell/concerned: Call a POISON CENTER or doctor. Eliminate all ignition sources if safe to do so.  
**Skin Contact:** Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before re-use. IF exposed or concerned: Get medical advice/attention.  
**Eye Contact:** Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.  
**Ingestion:** Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position.

### Most Important Symptoms/Effects, Acute and Delayed

No data available.

### Indication of Immediate Medical Attention and Special Treatment Needed

No data available.

5

## FIRE FIGHTING MEASURES

**Flammability:** Extremely flammable aerosol  
**Flash Point:** below 73°F/23°C  
**Flash Point Method:** Not available

Suitable Extinguishing Media: Dry chemical, foam, carbon dioxide. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of

**Babe**

SDS Number: A270A

Revision Date: 6/2/2021

Page 3 of 8

foam and water on the same surface is to be avoided as water destroys the foam. Sand or earth may be used for small fires only. Do not direct a solid stream of water or foam into hot, burning pools this may results in frothing and increase fire intensity.

Unsuitable Extinguishing Media: No data available.

**Specific Hazards in Case of Fire:** Contents under pressure. Keep away from ignition sources and open flames. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Product is highly flammable and forms explosive mixtures with air, oxygen, and all oxidizing agents. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. During a fire, irritating and highly toxic gases may be generated during combustion or decomposition. High temperatures can cause sealed containers to rupture due to a build up of internal pressures. Cool with water. Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Container could potentially burst or be punctured upon mechanical impact, releasing flammable vapors.

**Fire-Fighting Procedures:** Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

**Special Protective Actions:** Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

**6**

## ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Do not touch or walk through spilled material.

Isolate hazard area and keep unnecessary people away. Remove all possible sources of ignition in the surrounding area. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated.

### Recommended Equipment

Wear liquid tight chemical protective clothing in combination with positive pressure self-contained breathing apparatus (SCBA).

### Personal Precautions

Avoid breathing vapor. Avoid contact with skin, eye or clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

### Environmental Precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### Methods and Materials for Containment and Cleaning up

Absorb liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

**7**

## HANDLING AND STORAGE

### Handling Precautions:

Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally.  
Use in a well-ventilated place.

Level 3 Aerosol

### Storage Requirements:

Store and use in a cool, dry, well-ventilated area. Do not store above 120°F. See product label for additional information.

Level 3 Aerosol.

**8**

## EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Controls:

Ventilation should be sufficient to prevent inhalation of any vapors.

**Babe**

SDS Number: A270A

Revision Date: 6/2/2021

Page 4 of 8

**Personal Protective Equipment:**

Eye Protection: Wear safety glasses with side shields. Eyewash stations and showers should be available in areas where this material is used and stored.

Skin Protection: Use solvent-resistant protective gloves for prolonged or repeated contact.

Respiratory Protection: Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved air line respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Chemical Name	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA STEL (mg/m3)	OSHA Carcinogen	OSHA Skin designation	OSHA Tables (Z1, Z2, Z3)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)
ACETONE	2400	1000				1		250
A-PINENE								20
Petroleum gases, liquefied, sweetened	2000	500				1		

Chemical Name	NIOSH STEL (ppm)	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH Carcinogen	ACGIH TLV Basis	ACGIH Notations	NIOSH TWA (mg/m3)	NIOSH TWA (ppm)
ACETONE			500	A4	URT & eye irr, CNS impair	A4; BEI	590	250
A-PINENE				A4	Lung irr	DSEN;A4		
Petroleum gases, liquefied, sweetened								

Chemical Name	NIOSH STEL (mg/m3)	OSHA STEL (ppm)	NIOSH Carcinogen
ACETONE			
A-PINENE			
Petroleum gases, liquefied, sweetened			

(C) - Ceiling limit, (IFV) - Inhalable fraction and vapor, A4 - Not Classifiable as a Human Carcinogen, BEI - Substances for which there is a Biological Exposure Index or Indices, CNS - Central nervous system, dam - Damage, DSEN - Dermal sensitization, eff - Effects, impair - Impairment, irr - Irritation, URT - Upper respiratory tract

9

**PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Colorless Aerosol	<b>Odor:</b>	Fresh
<b>Physical State:</b>	Gas	<b>Flash Point:</b>	below 73°F/23°C
<b>Spec Grav./Density:</b>	5.98 lb/gal	<b>VOC:</b>	27.4 %
<b>Flammability:</b>	Extremely Flammable		
<b>Evap. Rate:</b>	Slower than ether		

Babe

SDS Number: A270A

Revision Date: 6/2/2021

Page 5 of 8

10

**STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	Stable under normal storage and handling conditions.
<b>Conditions to Avoid:</b>	Avoid heat, sparks, flame, high temperature and contact with incompatible materials. Dropping containers may cause bursting.
<b>Materials to Avoid:</b>	Avoid strong oxidizers, reducers, acids, and alkalis.
<b>Hazardous Decomposition:</b>	No data available.
<b>Hazardous Polymerization:</b>	Will not occur

11

**TOXICOLOGICAL INFORMATION****Skin Corrosion/Irritation**

No data available

**Likely Route of Exposure**

Inhalation, ingestion, skin absorption.

**Serious Eye Damage/Irritation**

Causes serious eye irritation

**Carcinogenicity**

No data available.

**Germ Cell Mutagenicity**

No data available.

**Reproductive Toxicity**

No data available.

**Respiratory/Skin Sensitization**

No data available.

**Specific Target Organ Toxicity - Single Exposure**

May cause drowsiness or dizziness

**Specific Target Organ Toxicity - Repeated Exposure**

No data available.

**Aspiration Hazard**

No data available.

**Acute Toxicity**

No data available.

**Potential Health Effects - Miscellaneous**

0000067-64-1 ACETONE

The following medical conditions may be aggravated by exposure: lung disease, eye disorders, skin disorders. Overexposure may cause damage to any of the following organs/systems: blood, central nervous system, eyes, kidneys, liver, respiratory system, skin.

0000067-64-1 ACETONE

LC50 (male rat): 30000 ppm (4-hour exposure); cited as 71000 mg/m<sup>3</sup> (4-hour exposure) (29)LC50 (male mouse): 18600 ppm (4-hour exposure); cited as 44000 mg/m<sup>3</sup> (4-hour exposure) (29)

LD50 (oral, female rat): 5800 mg/kg (24)

LD50 (oral, mature rat): 6700 mg/kg (cited as 8.5 mL/kg) (31)

LD50 (oral, newborn rat): 1750 mg/kg (cited as 2.2 mL/kg) (31)

LD50 (oral, mouse): 3000 mg/kg (32,unconfirmed)

LD50 (dermal, rabbit): Greater than 16000 mg/kg cited as 20 mL/kg) (30)

12

**ECOLOGICAL INFORMATION****Toxicity**

No data available.

Babe

SDS Number: A270A

Revision Date: 6/2/2021

Page 6 of 8

**Persistence and Degradability**

No data available.

**Bio-Accumulative Potential**

No data available.

**Mobility in Soil**

No data available.

**Other Adverse Effects**

No data available.

13

**DISPOSAL CONSIDERATIONS**

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws. Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

14

**TRANSPORT INFORMATION**

	<b>U.S. DOT Information</b>	<b>IMDG Information</b>	<b>IATA Information</b>
<b>UN number:</b>	UN1950	UN1950	UN1950
<b>Proper shipping name:</b>	Aerosols	Aerosols	Aerosols, flammable
<b>Hazard class:</b>	2.1	2.1	2.1
<b>Packaging group:</b>	N.A.	N.A.	N.A.
<b>Hazardous substance (RQ):</b>	No Data Available		
<b>Marine Pollutant:</b>	No Data Available	No Data Available	
<b>Note / Special Provision:</b>	(LTD QTY)	(LTD QTY)	(LTD QTY)
<b>Toxic-Inhalation Hazard:</b>	No Data Available		

15

**REGULATORY INFORMATION**

[%] RQ (CAS#) Substance - Reg Codes

[50-82%] RQ(5000LBS), Acetone (67-64-1) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, TOXICRCRA, TSCA, TXAIR, TXHWL

[17-28%] Petroleum gases, liquefied, sweetened (68476-86-8) TSCA

[2-3%] Triethylene glycol (112-27-6) HAP, PA, TSCA

[0.0-0.6%] RQ(1000LBS), Diethyl phthalate (84-66-2) CERCLA, EPCRAWPC, MASS, NJHS, OSHAWAC, PA, PRIPOL, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

[0.0-0.5%] 7-Octen-2-ol, 2,6-dimethyl- (18479-58-8) TSCA

[0.0-0.4%] Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl- (1222-05-5) TSCA

Babe

SDS Number: A270A

Revision Date: 6/2/2021

Page 7 of 8

- [0.0-0.2%] 1,6-Octadien-3-ol, 3,7-dimethyl-, acetate (115-95-7) TSCA
- [0.0-0.2%] Benzoic acid, 2-hydroxy-, phenylmethyl ester (118-58-1) TSCA
- [Trace] 2,5-Furandione, dihydro-3-(octenyl)- (26680-54-6) TSCA
- [Trace] Benzoic acid, 2-hydroxy-, 3-methylbutyl ester (87-20-7) TSCA
- [Trace] 3-Cyclohexene-1-carboxaldehyde, 1-methyl-3-(4-methyl-3-pentenyl)- (52474-60-9) TSCA
- [Trace] Ethanone, 1-[(3R,3aR,7R,8aS)-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl]- (32388-55-9) TSCA
- [Trace] 1,6-Octadien-3-ol, 3,7-dimethyl- (78-70-6) TSCA
- [Trace] Linalool oxide (1365-19-1) TSCA
- [Trace] 1,6-Nonadien-3-ol, 3,7-dimethyl- (10339-55-6) TSCA
- [--%] Benzenemethanol, .alpha.-methyl-, acetate (93-92-5) TSCA
- [Trace] Ionone, methyl- (1335-46-2) TSCA
- [Trace] Cyclopentaneacetic acid, 3-oxo-2-pentyl-, methyl ester (24851-98-7) TSCA
- [Trace] Benzeneethanol, .alpha.,.alpha.-dimethyl-, acetate (151-05-3) TSCA
- [Trace] Terpenes and Terpenoids, sweet orange-oil (68647-72-3) TSCA
- [Trace] 6-Octen-1-ol, 3,7-dimethyl- (106-22-9) TSCA
- [Trace] alpha-Pinene (80-56-8) MASS, PA, TSCA
- [Trace] oils, lavandin (8022-15-9) TSCA
- [Trace] Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, 2,2-bis[[3-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]methyl]-1,3-propanediyl ester (6683-19-8) TSCA
- [Trace] oils, eucalyptus (8000-48-4) TSCA
- [Trace] 2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl- (470-82-6) TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

### Regulatory Code Legend

-----

RQ = Reportable Quantity  
 CERCLA = Superfund clean up substance  
 HAP = Hazardous Air Pollutants  
 MASS = MA Massachusetts Hazardous Substances List  
 NJHS = NJ Right-to-Know Hazardous Substances  
 OSHAWAC = OSHA workplace Air Contaminants  
 PA = PA Right-To-Know List of Hazardous Substances  
 TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)  
 TSCA = Toxic Substances Control Act  
 TXAIR = TX Air Contaminants with Health Effects Screening Level  
 TXHWL = TX Hazardous Waste List  
 EPCRAWPC = EPCRA Water Priority Chemicals  
 PRIPOL = Clean Water Act Priority Pollutants  
 SARA313 = SARA 313 Title III Toxic Chemicals

---

**Babe**

SDS Number: A270A

Revision Date: 6/2/2021

Page 8 of 8

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESLEffects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

Revision Date: 6/2/2021