

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 1 of 13

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123

Contact: Ligia M. Hernandez
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Identifier: Clear View
SDS Number: A55A
Product Code: A55
Revision Date: 4/18/2022
Product Use: Glass and Plastic Protective Coating

Emergency Telephone Number:
INFOTRAC
1-800-535-5053

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1
Environmental, Hazards to the aquatic environment - Chronic, 3
Physical, Gases Under Pressure, Liquefied Gas

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **DANGER**

GHS Hazard Pictograms:



GHS Hazard Statements:

H222 - Extremely flammable aerosol
H412 - Harmful to aquatic life with long lasting effects
H280 - Contains gas under pressure; may explode if heated

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P211 - Do not spray on an open flame or other ignition source.
P251 - Pressurized container: Do not pierce or burn, even after use.
P264 - Wash hands after handling.
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P332+313 - If skin irritation occurs: Get immediate medical advice/attention.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P311 - Call a POISON CENTER or doctor/physician if symptoms develop or persist.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P342+311 - Call a POISON CENTER or doctor/physician immediately.
P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 2 of 13

P501 - Dispose of waste and residues in accordance with local authority requirements.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Ingestion, skin absorption, eye, inhalation
Inhalation: Prolonged inhalation may be harmful.
Skin Contact: No adverse effects due to skin contact are expected.
Eye Contact: Causes temporary irritation.
Ingestion: Expected to be a low ingestion hazard.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
64-17-5	1-5%	Ethanol
74-98-6	1-5%	Propane
106-97-8	1-5%	Butane
111-76-2	1-5%	2-Butoxyethanol
112-34-5	1-5%	Ethanol, 2-(2-butoxyethoxy)-

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4 FIRST AID MEASURES

Inhalation: Move to fresh air. Call a physician if symptoms develop or persist.
Skin Contact: Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye Contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.
Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

5 FIRE FIGHTING MEASURES

Flammability: Extremely Flammable Aerosol
Flash Point: -156 Deg F (-104.4 Deg C) Propellant estimated

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, protective equipment and emergency procedures:

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 3 of 13

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up:

Stop the flow of material, if this is without risk. Absorb with sand or other inert absorbent.

Notification Procedures:

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions:

Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

7	HANDLING AND STORAGE
----------	-----------------------------

Handling Precautions: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Storage Requirements: Level 1 Aerosol
Level 1 Aerosol

Keep locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. The pressure in sealed containers can increase under the influence of heat. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
----------	--

Engineering Controls: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment:

Eye/face Protection: Wear goggles/face shield.

Hand Protection: Wear appropriate chemical resistant gloves.

Respiratory Protection: If permissible levels are exceeded use NIOSH mechanical filter/ organic vapor cartridge or an air-supplied respirator.

Do not get in eyes. When using, do not eat, drink or smoke. Do not get this material in contact with skin. Avoid contact with skin. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Ethanol cas#:(64-17-5) [1-5%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

Upper Respiratory Tract irritation
Confirmed animal carcinogen with unknown relevance to humans

TWA 1,000 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
1,900 mg/m3

The value in mg/m3 is approximate.

TWA 1,000 ppm USA. NIOSH Recommended

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 4 of 13

1,900 mg/m3 Exposure Limits

Propane cas#:(74-98-6) [1-5%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values
(TLV)

Central Nervous System impairment
Cardiac sensitization

TWA 1,000 ppm USA. Occupational Exposure Limits
1,800 mg/m3 (OSHA) - Table Z-1 Limits for Air
Contaminants

The value in mg/m3 is approximate.

TWA 1,000 ppm USA. OSHA - TABLE Z-1 Limits for
1,800 mg/m3 Air Contaminants - 1910.1000

TWA 1,000 ppm USA. NIOSH Recommended
1,800 mg/m3 Exposure Limits

Butane cas#:(106-97-8) [1-5%]

Components with workplace control parameters

TWA 800 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -
1,900 mg/m3 1910.1000

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)
Central Nervous System impairment Cardiac sensitization

TWA 800 ppm USA. NIOSH Recommended Exposure Limits
1,900 mg/m3

Also see specific listing for Isobutane.

2-Butoxyethanol cas#:(111-76-2) [1-5%]

Components with workplace control parameters

TWA 20 ppm USA. ACGIH Threshold Limit Values
(TLV)

Eye & Upper Respiratory Tract irritation
Confirmed animal carcinogen with unknown relevance to humans

TWA 5 ppm USA. NIOSH Recommended
24 mg/m3 Exposure Limits

Potential for dermal absorption

TWA 50 ppm USA. Occupational Exposure Limits
240 mg/m3 (OSHA) - Table Z-1 Limits for Air
Contaminants

Skin designation
The value in mg/m3 is approximate.

TWA 25 ppm USA. OSHA - TABLE Z-1 Limits for
120 mg/m3 Air Contaminants - 1910.1000

Skin notation

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 5 of 13

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, Aerosol	Odor:	Not available
Physical State:	Liquid	Flash Point:	-156 Deg F (-104.4 Deg C) Propellant estimated
Spec Grav./Density:	(H2O=1): 0.965 estimated		
Boiling Point:	212 F (100 C) estimated		
Vapor Pressure:	Not available		

10

STABILITY AND REACTIVITY

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Exposure to air. Heat, flames and sparks. Aerosol containers are unstable at temperatures above 50°C. Avoid contamination.
Materials to Avoid:	Strong oxidizing agents. Isocyanates. Oxygen. Chlorine. Do not mix with other chemicals.
Hazardous Decomposition:	No hazardous decomposition products are known.
Hazardous Polymerization:	Hazardous polymerization does not occur.

11

TOXICOLOGICAL INFORMATION

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.

Ethanol cas#:(64-17-5) [1-5%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 7,060 mg/kg Remarks: Lungs, Thorax, or Respiration:Other changes.

LC50 Inhalation - rat - 10 h - 20000 ppm

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: No skin irritation - 24 h (OECD Test Guideline 404)

Serious eye damage/eye irritation: Eyes - rabbit Result: Mild eye irritation - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 6 of 13

Carcinogenicity:

Carcinogenicity - mouse - Oral:

Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Liver: Tumors. Blood: Lymphomas including Hodgkins disease.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - Human - female - Oral:

Effects on Newborn: Apgar score (human only). Effects on Newborn: Other neonatal measures or effects. Effects on Newborn: Drug dependence.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: KQ6300000

Central nervous system depression, narcosis, Damage to the heart., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Propane cas#:(74-98-6) [1-5%]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 7 of 13

carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TX2275000

Dizziness, Drowsiness, Unconsciousness

Butane cas#:(106-97-8) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50 LC50 Inhalation - rat - 4 h - 658,000 mg/m³

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
no data available

Aspiration hazard: no data available

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 8 of 13

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, giddiness, Shortness of breath, narcosis, Dermal contact with rapidly evaporating liquid could result in freezing of the tissues or frostbite., Exposure can cause numbness, tingling, and weakness in extremities., Cyanosis, Pulmonary edema. Effects may be delayed., Abdominal pain, Nausea, Vomiting

Synergistic effects: no data available

Additional Information:

RTECS: EJ4200000

2-Butoxyethanol cas#:(111-76-2) [1-5%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 470 mg/kg

LC50 Inhalation - rat - 4 h - 450 ppm Remarks: Behavioral:Ataxia. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Dermal - rabbit - 220 mg/kg

LD50 Intraperitoneal - rat - 220 mg/kg

LD50 Intravenous - rat - 307 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Open irritation test

Serious eye damage/eye irritation: Eyes - rabbit Result: Moderate eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 9 of 13

RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis
Stomach - Irregularities - Based on Human Evidence

Ethanol, 2-(2-butoxyethoxy)- cas#:(112-34-5) [1-5%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - male - 7,291 mg/kg (OECD Test Guideline 401)

Inhalation: no data available

LD50 Dermal - rabbit - male - 2,764 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation - 1 h (OECD Test Guideline 404)

Serious eye damage/eye irritation: Eyes - rabbit Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation: Maximisation Test - guinea pig Result: Does not cause skin sensitisation. (OECD Test Guideline 406)

Germ cell mutagenicity: Ames test S. typhimurium Result: negative

OECD Test Guideline 477 Drosophila melanogaster - male and female

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - rat - male and female - Dermal:

No adverse effect has been observed in chronic toxicity tests.
no data available

Developmental Toxicity - rabbit - Dermal:

No adverse effect has been observed in chronic toxicity tests.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 10 of 13

Repeated dose toxicity - rat - male and female - Oral - No observed adverse effect level - 250 mg/kg RTECS: KJ9100000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Stomach - Irregularities - Based on Human Evidence

12

ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ethanol cas#:(64-17-5) [1-5%]

Fish: LC50 (Pimephales promelas, 96hrs): 15.3 g/l Experimental result, Key study.

Aquatic Invertebrates: LC50 (Ceriodaphnia dubia, 48h): 5012 mg/l Experimental result, Key study.

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Propane cas#:(74-98-6) [1-5%]

Fish: LC50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study.

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 11 of 13

Butane cas#:(106-97-8) [1-5%]

Fish: LC50 (Various, 96h): 147.54 mg/l QSAR QSAR, Key study.

Aquatic Invertebrates: LC50 (Daphnia sp., 48 h: 69.43 mg/l QSAR QSAR, Key study.

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

2-Butoxyethanol cas#:(111-76-2) [1-5%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - other fish - 220 mg/l - 96 h.

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 1,815 mg/l - 24 h.
other aquatic invertebrates

Persistence and degradability: no data available

Ratio BOD/ThBOD 88 %

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Ethanol, 2-(2-butoxyethoxy)- cas#:(112-34-5) [1-5%]

Information on ecological effects

Toxicity:

Toxicity to fish static test LC50 - Lepomis macrochirus - 1,300 mg/l - 96 h.
(OECD Test Guideline 203)

Toxicity to daphnia and static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h.
other aquatic (Directive 67/548/EEC, Annex V, C.2.) invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (Scenedesmus subspicatus) - >:
100 mg/l - 96 h (OECD Test Guideline 201)

Toxicity to bacteria LC50 - Pseudomonas putida - 1,170 mg/l - 16 h.

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 12 of 13

Persistence and degradability: Biodegradability aerobic - Exposure time 28 d Result: 91.7 % - Readily biodegradable. (OECD Test Guideline 301B)

Bioaccumulative potential: Does not bioaccumulate.

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

13	DISPOSAL CONSIDERATIONS
-----------	--------------------------------

Discharge, treatment, or disposal may be subject to national, state, or local laws.

14	TRANSPORT INFORMATION
-----------	------------------------------

DOT

UN Number	UN 1950
UN Proper Shipping Name	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	---
Packing Group:	---
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IMDG

UN Number	UN 1950
UN Proper Shipping Name	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	---
EmS No.:	---
Packing Group:	---
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IATA

UN Number	UN 1950
UN Proper Shipping Name	Aerosols, flammable
Transport Hazard Class(es)	

Clear View

SDS Number: A55A

Revision Date: 4/18/2022

Page 13 of 13

Class: 2.1
 Label(s): ---
 Packing Group: ---
 Environmental Hazards: No
 Marine Pollutant: No
 Special precautions for user: Not regulated.

15	REGULATORY INFORMATION
-----------	-------------------------------

[%] RQ (CAS#) Substance - Reg Codes

 [1-5%] Ethanol (64-17-5) MASS, OSHAWAC, PA, TSCA, TXAIR

[1-5%] Propane (74-98-6) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[1-5%] Butane (106-97-8) MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

[1-5%] 2-Butoxyethanol (111-76-2) HAP, MASS, OSHAWAC, PA, SARA313, TSCA, TXAIR

[1-5%] Ethanol, 2-(2-butoxyethoxy)- (112-34-5) HAP, SARA313, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

 MASS = MA Massachusetts Hazardous Substances List
 OSHAWAC = OSHA Workplace Air Contaminants
 PA = PA Right-To-Know List of Hazardous Substances
 TSCA = Toxic Substances Control Act
 TXAIR = TX Air Contaminants with Health Effects Screening Level
 NJHS = NJ Right-to-Know Hazardous Substances
 HAP = Hazardous Air Pollutants
 SARA313 = SARA 313 Title III Toxic Chemicals

16	OTHER INFORMATION
-----------	--------------------------

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

N/A = Not available N/D = Not determined

Revision Date: 4/18/2022