

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 1 of 7

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123

Contact: Ligia M. Hernandez
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Product Identifier: Coil X (Rev 1-19-24)
SDS Number: W925C
Product Code: W925
Revision Date: 1/19/2024
Product Use: Self Rinsing Coil Cleaner

Emergency Telephone Number:
INFOTRAC
1-800-535-5053

2

HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Acute toxicity, 5 Oral
Health, Skin corrosion/irritation, 2
Health, Serious Eye Damage/Eye Irritation, 2 B
Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H303 - May be harmful if swallowed
H315 - Causes skin irritation
H320 - Causes eye irritation
H335 - May cause respiratory irritation

GHS Precautionary Statements:

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER or doctor/physician.
P363 - Wash contaminated clothing before reuse.
P501 - Dispose of contents/container in accordance with all local, regional and international regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Skin absorption, eye, inhalation, ingestion

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 2 of 7

Target Organs: NA
Inhalation: Generated mist may be irritating to respiratory tract.
Skin Contact: May cause irritation
Eye Contact: Causes irritation.
Ingestion: May cause gastrointestinal irritation.

3	COMPOSITION/INFORMATION ON INGREDIENTS
----------	---

CAS#	Chemical Ingredients: % Chemical Name:
111-76-2	<10% Ethylene glycol monobutyl ether
6834-92-0 *****	<10% Sodium Metasilicate Surfactant Blend

4	FIRST AID MEASURES
----------	---------------------------

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Skin Contact: Immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention immediately.

Eye Contact: Immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Most important symptoms and effects, both acute and delayed.

Symptoms/injuries after inhalation - Harmful if inhaled. Vapours may cause drowsiness and dizziness. May cause respiratory irritation

Symptoms/injuries after skin contact - Harmful in contact with skin. Causes severe skin burns. Symptoms may include redness, pain, blisters. May cause sensitization by skin contact.

Symptoms/injuries after eye contact - Causes serious eye damage. Symptoms may include discomfort or pain, excessive blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.

Symptoms/injuries after ingestion - May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

Indication of any immediate medical attention and special treatment needed
 Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

5	FIRE FIGHTING MEASURES
----------	-------------------------------

Flash Point: None to boiling
Flash Point Method: NA
 Suitable Extinguishing Media: Water Spray, Dry Chemical, Foam, Carbon Dioxide.
 Unsuitable Extinguishing Media: None known

Special Fire fighting procedures: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

6	ACCIDENTAL RELEASE MEASURES
----------	------------------------------------

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 3 of 7

Use personal protective equipment as required. Prevent further leakage or spillage if safe to do so. Absorb with suitable medium. Keep in suitable, closed containers for disposal.

7	HANDLING AND STORAGE
----------	-----------------------------

Handling Precautions: Do not breathe gas/fumes/vapor/spray. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practices.

Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

Storage Requirements: Handle all containers carefully. Keep out of reach of children.

Keep container tightly closed and in a well-ventilated place. Store locked up.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
----------	--

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

Personal Protective Equipment: Respiratory Protection: None required under normal use conditions.

Protective gloves: Chemical resistant, rubber.

Eye protection: Safety glasses/goggles

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Do not eat, smoke, or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

Ethylene glycol monobutyl ether cas#:(111-76-2) [<10%]

Components with workplace control parameters

TWA 20 ppm USA. ACGIH Threshold Limit Values (TLV)

Eye & Upper Respiratory Tract irritation

Confirmed animal carcinogen with unknown relevance to humans

TWA 5 ppm USA. NIOSH Recommended Exposure Limits

24 mg/m3

Potential for dermal absorption

TWA 50 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air

240 mg/m3

Contaminants

Skin designation

The value in mg/m3 is approximate.

TWA 25 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

120 mg/m3

Skin notation

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 4 of 7

9

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, Red	Odor:	Characteristic
Physical State:	Liquid	Solubility:	Complete
Spec Grav./Density:	(H2O=1): 1.08+/- 0.05	Flash Point:	None to boiling
Boiling Point:	Above 212 Deg. F	Vapor Density:	(Air=1): Not Available
pH:	13.5 +/- 1		

10

STABILITY AND REACTIVITY

Chemical Stability:	Stable and non-reactive under normal conditions of use, storage and transport.
Conditions to Avoid:	NA
Materials to Avoid:	Strong acids and strong oxidizing agents
Hazardous Decomposition:	Carbon dioxide, carbon monoxide
Hazardous Polymerization:	Will not occur

11

TOXICOLOGICAL INFORMATION

Data summary for the components are as follows:

Acute Toxicity:

Ethylene glycol monobutyl ether cas#:(111-76-2) [<10%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 470 mg/kg

LC50 Inhalation - rat - 4 h - 450 ppm Remarks: Behavioral:Ataxia. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Dermal - rabbit - 220 mg/kg

LD50 Intraperitoneal - rat - 220 mg/kg

LD50 Intravenous - rat - 307 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Open irritation test

Serious eye damage/eye irritation: Eyes - rabbit Result: Moderate eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 5 of 7

Aspiration hazard: no data available

Additional Information:

RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis
Stomach - Irregularities - Based on Human Evidence

Sodium Metasilicate cas#:(6834-92-0) [<10%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 1,153 mg/kg

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: Severe skin irritation - 24 h

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Reproductive toxicity - rat - Oral:

Effects on Newborn: Stillbirth. Effects on Newborn: Live birth index (# fetuses per litter; measured after birth). Effects on Newborn: Weaning or lactation index (e.g., # alive at weaning per # alive at day 4).
no data available

Specific target organ toxicity - single exposure: May cause respiratory irritation.

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 6 of 7

RTECS: VV9275000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

12

ECOLOGICAL INFORMATION

Ethylene glycol monobutyl ether cas#:(111-76-2) [<10%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - other fish - 220 mg/l - 96 h.

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 1,815 mg/l - 24 h.
other aquatic invertebrates

Persistence and degradability: no data available

Ratio BOD/ThBOD 88 %

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Sodium Metasilicate cas#:(6834-92-0) [<10%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

13

DISPOSAL CONSIDERATIONS

Coil X (Rev 1-19-24)

SDS Number: W925C

Revision Date: 1/19/2024

Page 7 of 7

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

14	TRANSPORT INFORMATION
----	------------------------------

Proper Shipping Name: Not regulated.

15	REGULATORY INFORMATION
----	-------------------------------

[%] RQ (CAS#) Substance - Reg Codes

[<10%] Ethylene glycol monobutyl ether (111-76-2) HAP, MASS, OSHAWAC, PA, SARA313, TSCA, TXAIR

[<10%] Sodium Metasilicate (6834-92-0) TSCA

[--%] Surfactant Blend (*****)

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

-
- HAP = Hazardous Air Pollutants
 - MASS = MA Massachusetts Hazardous Substances List
 - OSHA = OSHA Workplace Air Contaminants
 - PA = PA Right-To-Know List of Hazardous Substances
 - SARA313 = SARA 313 Title III Toxic Chemicals
 - TSCA = Toxic Substances Control Act
 - TXAIR = TX Air Contaminants with Health Effects Screening Level

16	OTHER INFORMATION
----	--------------------------

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

N/A = Not available N/D = Not determined

Revision Date: 1/19/2024