

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 1 of 7

1

## PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Wechem, Inc  
5734 Susitna Dr  
Harahan, LA 70123

**Contact:** Ligia M. Hernandez  
**Phone:** 504-733-1152  
**Fax:** 504-733-2218  
**Web:** www.wechem.com

**Product Identifier:** Extract All (Rev 1-10-24)  
**SDS Number:** F350C  
**Product Code:** F3504  
**Revision Date:** 1/10/2024  
**Product Use:** Extraction Cleaning Compound For Carpet & Upholstery

Emergency Telephone Number:  
INFOTRAC  
1-800-535-5053

2

## HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Health, Acute toxicity, 5 Oral  
Health, Skin corrosion/irritation, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A  
Health, Specific target organ toxicity - Single exposure, 3

### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **WARNING**

**GHS Hazard Pictograms:**



#### GHS Hazard Statements:

H303 - May be harmful if swallowed  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

#### GHS Precautionary Statements:

P281 - Use personal protective equipment as required.  
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P333 - If skin irritation or a rash occurs: Get immediate medical advice/attention.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P308+313 - IF exposed or concerned: Get medical advice/attention.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P337 - If eye irritation persists: Get medical advice/attention.  
P501 - Dispose of contents/container in accordance to local/regional/national/ international regulations.

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 2 of 7

## Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Route of Entry:** Ingestion, eye, skin absorption, inhalation.  
**Inhalation:** May cause respiratory irritation.  
**Skin Contact:** May cause irritation. Prolonged contact may cause dermatitis.  
**Eye Contact:** Causes severe irritation. May cause corneal injury.  
**Ingestion:** May cause irritation to mouth, throat, and gastrointestinal system, vomiting and diarrhea.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
111-76-2	1-10%	Ethylene glycol monobutyl ether
*****	1-6%	Detergent Builder
*****	1-4%	Surfactant

## 4 FIRST AID MEASURES

**Inhalation:** If symptoms develop move victim to fresh air. Get medical attention if symptoms develop or persist.  
**Skin Contact:** Wash off with plenty of water. Remove and isolate contaminated clothing and shoes. Get medical attention if irritation develops and persists.  
**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.  
**Ingestion:** Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Get immediate medical advice/attention.

## 5 FIRE FIGHTING MEASURES

**Flammability:** Non flammable  
**Flash Point:** None to boiling  
**Flash Point Method:** TCC  
 Extinguishing media: Foam, dry chemical, carbon dioxide, water  
 Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing if needed.

Unusual Fire & Explosion Hazard: None

## 6 ACCIDENTAL RELEASE MEASURES

Use personal protective equipment as required. Prevent further leakage or spillage if safe to do so.  
 Absorb with suitable medium. Keep in suitable, closed containers for disposal.

## 7 HANDLING AND STORAGE

**Handling Precautions:** Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practices.  
  
 Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

**Storage Requirements:** Keep out of reach of children. Keep container tightly closed. Store in a cool dry, climate controlled area, away from incompatibles, sparks and open flame.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Ventilation Requirement: Mechanical

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 3 of 7

**Personal Protective Equipment:**

 Respiratory Protection: None required under normal use conditions.  
 Protective gloves: Rubber/ Water Resistant  
 Eye protection: Safety glasses/ goggles

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

Ethylene glycol monobutyl ether cas#:(111-76-2) [1-10%]

Components with workplace control parameters

TWA 20 ppm USA. ACGIH Threshold Limit Values (TLV)

 Eye & Upper Respiratory Tract irritation  
 Confirmed animal carcinogen with unknown relevance to humans

 TWA 5 ppm USA. NIOSH Recommended Exposure Limits  
 24 mg/m3

Potential for dermal absorption

 TWA 50 ppm USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants  
 240 mg/m3

Skin designation

The value in mg/m3 is approximate.

 TWA 25 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000  
 120 mg/m3

Skin notation

<b>9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>
----------	---

<b>Appearance:</b>	Clear, Colorless	<b>Odor:</b>	Floral Fragrance
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Complete
<b>Spec Grav./Density:</b>	(H2O=1): 1.035 +/- 0.05	<b>Flash Point:</b>	None to boiling
<b>Boiling Point:</b>	214 Deg. F. Initial	<b>Vapor Density:</b>	(Air=1): >1
<b>Vapor Pressure:</b>	Not available	<b>VOC:</b>	3.2%
<b>pH:</b>	11.5 +/- 1		

<b>10</b>	<b>STABILITY AND REACTIVITY</b>
-----------	---------------------------------

<b>Chemical Stability:</b>	Stable and non-reactive under normal conditions of use, storage and transport.
<b>Conditions to Avoid:</b>	None Known.
<b>Materials to Avoid:</b>	Strong acids.
<b>Hazardous Decomposition:</b>	Carbon dioxide, carbon monoxide.
<b>Hazardous Polymerization:</b>	Will not occur

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 4 of 7

11

**TOXICOLOGICAL INFORMATION**

Data summary for the components are as follows:

Ethylene glycol monobutyl ether cas#:(111-76-2) [1-10%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 470 mg/kg

LC50 Inhalation - rat - 4 h - 450 ppm Remarks: Behavioral:Ataxia. Nutritional and Gross Metabolic:Weight loss or decreased weight gain.

LD50 Dermal - rabbit - 220 mg/kg

LD50 Intraperitoneal - rat - 220 mg/kg

LD50 Intravenous - rat - 307 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Open irritation test

Serious eye damage/eye irritation: Eyes - rabbit Result: Moderate eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis  
Stomach - Irregularities - Based on Human Evidence

Detergent Builder cas#:(----) [1-6%]

Information on toxicological effects

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 5 of 7

**Acute toxicity:**

Oral LD50 Inhalation LC50 Dermal LD50 Dermal - rabbit - > 4,640 mg/kg Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis.

Other information on acute toxicity no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

**Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: JL6735000

12

## ECOLOGICAL INFORMATION

Aquatic Toxicity  
No Data available.

Ethylene glycol monobutyl ether cas#:(111-76-2) [1-10%]

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 6 of 7

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - other fish - 220 mg/l - 96 h.

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 1,815 mg/l - 24 h.  
other aquatic invertebrates

Persistence and degradability: no data available

Ratio BOD/ThBOD 88 %

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Detergent Builder cas#:(---) [1-6%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

<b>13</b>	<b>DISPOSAL CONSIDERATIONS</b>
-----------	--------------------------------

Dispose of according to local, state, or federal regulations.

<b>14</b>	<b>TRANSPORT INFORMATION</b>
-----------	------------------------------

Proper Shipping Name: Not Regulated

<b>15</b>	<b>REGULATORY INFORMATION</b>
-----------	-------------------------------

[%] RQ (CAS#) Substance - Reg Codes

-----  
[1-10%] Ethylene glycol monobutyl ether (111-76-2) HAP, MASS, OSHAWAC, PA, SARA313, TSCA, TXAIR

[1-6%] Detergent Builder (---) TSCA

Extract All (Rev 1-10-24)

SDS Number: F350C

Revision Date: 1/10/2024

Page 7 of 7

[1-4%] Surfactant (---) TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

### Regulatory Code Legend

-----  
HAP = Hazardous Air Pollutants  
MASS = MA Massachusetts Hazardous Substances List  
OSHA = OSHA Workplace Air Contaminants  
PA = PA Right-To-Know List of Hazardous Substances  
SARA313 = SARA 313 Title III Toxic Chemicals  
TSCA = Toxic Substances Control Act  
TXAIR = TX Air Contaminants with Health Effects Screening Level

16	<b>OTHER INFORMATION</b>
----	--------------------------

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

N/A = Not available                      N/D = Not determined

Revision Date: 1/10/2024