

Hulk System # 60 Component A (Rev 1-11-24)

SDS Number: H60AE

Revision Date: 1/11/2024

Page 1 of 7

1

## PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Wechem, Inc  
5734 Susitna Dr  
Harahan, LA 70123

**Contact:** Ligia M. Hernandez  
**Phone:** 504-733-1152  
**Fax:** 504-733-2218  
**Web:** www.wechem.com

**Product Identifier:** Hulk System # 60 Component A (Rev 1-11-24)  
**SDS Number:** H60AE  
**Product Code:** H60A  
**Revision Date:** 1/11/2024  
**Product Use:** Concentrate A to be used exclusively with Hulk System #60 Component B.

Emergency Telephone Number:  
INFOTRAC  
1-800-535-5053

2

## HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

**GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):**

Health, Acute toxicity, 4 Oral  
Health, Skin corrosion/irritation, 1 A  
Health, Specific target organ toxicity - Single exposure, 3

### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



### GHS Hazard Statements:

H302 - Harmful if swallowed  
H314 - Causes severe skin burns and eye damage  
H335 - May cause respiratory irritation

### GHS Precautionary Statements:

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P363 - Wash contaminated clothing before reuse.  
P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P311 - Call a POISON CENTER or doctor/physician.

### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Hulk System # 60 Component A (Rev 1-11-24)**

SDS Number: H60AE

Revision Date: 1/11/2024

Page 2 of 7

**Route of Entry:** Skin absorption, ingestion, eyes, inhalation  
**Target Organs:** NA  
**Inhalation:** Inhalation of generated mist can cause nasal and respiratory irritation or damage to respiratory tract.  
**Skin Contact:** Corrosive. Causes irritation and burning.  
**Eye Contact:** Causes irritation and burning  
**Ingestion:** Corrosive material. Harmful or fatal if swallowed.

### 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
1310-58-3	15-40%	Potassium hydroxide
60-00-4	5-10%	Ethylenediamine-tetraacetic acid (EDTA)

### 4 FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention.  
**Skin Contact:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical advice/attention.  
**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get immediate medical advice/attention.  
**Ingestion:** If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

### 5 FIRE FIGHTING MEASURES

**Flammability:** ND  
**Flash Point:** None to boiling  
**Flash Point Method:** Not available  
**Burning Rate:** Not determined  
**Autoignition Temp:** Not determined  
**LEL:** Not determined  
**UEL:** Not determined  
 Extinguishing media: Foam, dry chemical, carbon dioxide, water  
 Special fire fighting procedures: Full fire fighting turn out gear and respiratory protection (SCBA).

Unusual Fire &amp; Explosion Hazards: None

### 6 ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Avoid any contact with the skin and eyes.

Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Scoop up material and place in a disposal container. Provide ventilation.

### 7 HANDLING AND STORAGE

**Handling Precautions:** Warning: Corrosive liquid. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

**Hulk System # 60 Component A (Rev 1-11-24)**

SDS Number: H60AE

Revision Date: 1/11/2024

Page 3 of 7

**Storage Requirements:**

Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

Warning: Corrosive liquid. Handle all containers carefully. Keep out of reach of children.

Keep container tightly closed and in a well-ventilated place. Store locked up.

<b>8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
----------	--

**Engineering Controls:**

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

**Personal Protective Equipment:**

Respiratory Protection: None required under normal use conditions.  
Protective gloves: Chemical resistant, rubber, PVC  
Eye protection: Safety glasses/goggles

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Do not eat, smoke, or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

Potassium hydroxide cas#:(1310-58-3) [15-40%]

Components with workplace control parameters

C 2 mg/m3 USA. ACGIH Threshold Limit Values (TLV)

Eye, skin, & Upper Respiratory Tract irritation

C 2 mg/m3 USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

C 2 mg/m3 USA. NIOSH Recommended Exposure Limits

<b>9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>
----------	---

**Appearance:**

Clear, colorless liquid

**Physical State:**

Liquid

**Spec Grav./Density:**

(H20=1): 1.28 +/- 0.05

**Boiling Point:**

213 Deg. F. (IBP)

**Vapor Pressure:**

Not determined

**pH:**

14

**Odor:**

No distinct odor

**Solubility:**

Complete

**Freezing/Melting Pt.:**

Not available

**Flash Point:**

None to boiling

**Vapor Density:**

(Air=1): ND

**VOC:**

Not available

<b>10</b>	<b>STABILITY AND REACTIVITY</b>
-----------	---------------------------------

**Chemical Stability:**

Stable. No dangerous reaction known under conditions of normal use.

**Conditions to Avoid:**

Heat. Incompatible materials.

**Materials to Avoid:**

Strong oxidizers, acids

**Hazardous Decomposition:**

Carbon dioxide, carbon monoxide

**Hazardous Polymerization:**

Will not occur

---

**Hulk System # 60 Component A (Rev 1-11-24)**

---

SDS Number: H60AE

Revision Date: 1/11/2024

Page 4 of 7

11

**TOXICOLOGICAL INFORMATION**

Data summary for the components are as follows:

Potassium hydroxide cas#:(1310-58-3) [15-40%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - 333 mg/kg

Inhalation: no data available

Dermal: no data available

Skin corrosion/irritation: Skin - rabbit Result: Severe skin irritation - 24 h

Serious eye damage/eye irritation: Eyes - rabbit Result: Corrosive to eyes (OECD Test Guideline 405)

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TT2100000

Ethylenediamine-tetraacetic acid (EDTA) cas#:(60-00-4) [5-10%]

Information on toxicological effects

Acute toxicity:

LD50 Oral - rat - male and female - 4,500 mg/kg

Inhalation: no data available

Dermal: no data available

**Hulk System # 60 Component A (Rev 1-11-24)**

SDS Number: H60AE

Revision Date: 1/11/2024

Page 5 of 7

Skin corrosion/irritation: Skin - rabbit Result: No skin irritation

Serious eye damage/eye irritation: Eyes - rabbit Result: Eye irritation

Respiratory or skin sensitisation: Maximisation Test - rabbit Result: Does not cause skin sensitisation.

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: AH4025000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12

**ECOLOGICAL INFORMATION**

Potassium hydroxide cas#:(1310-58-3) [15-40%]

Information on ecological effects

Toxicity:

Toxicity to fish LC50 - Gambusia affinis (Mosquito fish) - 80 mg/l - 96 h.

Persistence and degradability: The methods for determining the biological degradability are not applicable to inorganic substances.

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Harmful to aquatic life.

**Hulk System # 60 Component A (Rev 1-11-24)**

SDS Number: H60AE

Revision Date: 1/11/2024

Page 6 of 7

no data available

Ethylenediamine-tetraacetic acid (EDTA) cas#:(60-00-4) [5-10%]

Information on ecological effects

Toxicity:

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 41 mg/l - 96 h.

Toxicity to daphnia and static test EC50 - Daphnia magna (Water flea) - 625 mg/l - 48 h.

other aquatic invertebrates

Persistence and degradability: Bioaccumulative potential:

Bioaccumulation Lepomis macrochirus - 28 d - 80 µg/l

Bioconcentration factor (BCF): 1.8

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: May be harmful to aquatic organisms due to the shift of the pH. Avoid release to the environment.

**13 DISPOSAL CONSIDERATIONS**

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

**14 TRANSPORT INFORMATION**

Proper Shipping Name: NA 1760,Compounds, Cleaning Liquid, (Potassium Hydroxide), 8, PG II



**15 REGULATORY INFORMATION**

[%] RQ (CAS#) Substance - Reg Codes

[15-40%] RQ(1000LBS), Potassium hydroxide (1310-58-3) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR

[5-10%] Ethylenediamine-tetraacetic acid (EDTA) (60-00-4) CERCLA, CSWHS, HAP, MASS, PA, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend

- RQ = Reportable Quantity
- CERCLA = Superfund clean up substance
- CSWHS = Clean water Act Hazardous substances
- MASS = MA Massachusetts Hazardous Substances List
- OSHA = OSHA workplace Air Contaminants
- PA = PA Right-To-Know List of Hazardous Substances

---

**Hulk System # 60 Component A (Rev 1-11-24)**

SDS Number: H60AE

Revision Date: 1/11/2024

Page 7 of 7

TSCA = Toxic Substances Control Act  
TXAIR = TX Air Contaminants with Health Effects Screening Level  
HAP = Hazardous Air Pollutants

16

**OTHER INFORMATION**

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

N/A = Not available N/D = Not determined

Revision Date: 1/11/2024