

Infinity (Aerosol) (Rev 2-21-24)

SDS Number: A135B

Revision Date: 2/21/2024

Page 1 of 13

1

## PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Wechem, Inc  
5734 Susitna Dr  
Harahan, LA 70123

**Contact:** Ligia M. Hernandez  
**Phone:** 504-733-1152  
**Fax:** 504-733-2218  
**Web:** www.wechem.com

**Product Identifier:** Infinity (Aerosol) (Rev 2-21-24)  
**SDS Number:** A135B  
**Product Code:** A135  
**Revision Date:** 2/21/2024  
**Product Use:** Penetrating Oil

Emergency Telephone Number:  
INFOTRAC  
1-800-535-5053

2

## HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1  
Physical, Gases Under Pressure, Compressed Gas  
Health, Aspiration hazard, 2  
Health, Respiratory or skin sensitization, 1 Skin  
Health, Serious Eye Damage/Eye Irritation, 2 A

### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **DANGER**

**GHS Hazard Pictograms:**



#### GHS Hazard Statements:

H222 - Extremely flammable aerosol  
H280 - Contains gas under pressure; may explode if heated  
H305 - May be harmful if swallowed and enters airways  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

#### GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Do not pierce or burn, even after use.  
P261 - Avoid breathing gas/mist/vapours/spray.  
P264 - Wash thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P302 + P352 - If on skin: Wash with plenty of water.  
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

**Infinity (Aerosol) (Rev 2-21-24)**

SDS Number: A135B

Revision Date: 2/21/2024

Page 2 of 13

Continue rinsing.  
 P308 + P313 - IF exposed or concerned: Get medical advice/ attention.  
 P321 - Specific treatment (see ... on this label).  
 P331 - Do NOT induce vomiting.  
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention.  
 P337 - If eye irritation persists:  
 P363 - Wash contaminated clothing before reuse.  
 P405 - Store locked up.  
 P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
 P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Route of Entry:** Inhalation, ingestion, skin absorption, eyes  
**Target Organs:** NA  
**Inhalation:** Excessive inhalation of vapors can cause nasal and respiratory irritation, dizziness, weakness, nausea, headache, possible unconsciousness, or asphyxiation.  
**Skin Contact:** Causes slight irritation due to defatting of skin.  
**Eye Contact:** Causes serious eye irritation  
**Ingestion:** Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia. May be harmful if swallowed and enters airways.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
64742-47-8	15-40%	Distillates, petroleum, hydrotreated light
64742-46-7	15-40%	Distillates, petroleum, hydrotreated middle
64742-95-6	7-13%	Petroleum Solvent
34590-94-8	5-10%	Dipropylene glycol methyl ether
78-92-2	1-5%	sec-Butyl alcohol
123-42-2	<5%	Diacetone alcohol
8002-09-3	<10%	Pine oil

## 4 FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice/attention.  
**Skin Contact:** Immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical advice/attention.  
**Eye Contact:** Immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get immediate medical advice/attention.  
**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

## 5 FIRE FIGHTING MEASURES

**Flammability:** Extremely Flammable Aerosol  
**Flash Point:** 115 Deg. F  
**Flash Point Method:** PMCC  
**Burning Rate:** ND  
**Autoignition Temp:** ND  
**LEL:** ND  
**UEL:** ND  
 Suitable extinguishing media: Powder. Alcohol resistant foam. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use water jet as an extinguisher, as this will spread the fire.  
 Specific hazards arising from the chemical : Contents under pressure. Pressurized container may explode when exposed to heat or flame.

**Infinity (Aerosol) (Rev 2-21-24)**

SDS Number: A135B

Revision Date: 2/21/2024

Page 3 of 13

Special protective equipment and precautions for firefighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.  
 Fire-fighting equipment/instructions: Move containers from fire area if you can do so without risk. Cool containers exposed to heat with water spray and remove container, if no risk is involved. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods: Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards: Extremely flammable aerosol.

<b>6</b>	<b>ACCIDENTAL RELEASE MEASURES</b>
----------	------------------------------------

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Use water spray to reduce vapors or divert vapor cloud drift. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions:** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

<b>7</b>	<b>HANDLING AND STORAGE</b>
----------	-----------------------------

**Handling Precautions:** Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated contact with skin. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

**Storage Requirements:** Level 3 Aerosol.  
  
Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

<b>8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
----------	----------------------------------------------

**Engineering Controls:** Ventilation Requirement: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

**Personal Protective Equipment:** HMIS PP, B | Goggles, Gloves  
 Eye/face protection: Face shield is recommended. Wear safety glasses with side shields (or goggles).  
 Hand protection : Wear appropriate chemical resistant gloves.  
 Skin protection (Other): Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Infinity (Aerosol) (Rev 2-21-24)**

SDS Number: A135B

Revision Date: 2/21/2024

Page 4 of 13

Respiratory protection: If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.'

Dipropylene glycol methyl ether cas#:(34590-94-8) [5-10%]

Components with workplace control parameters

TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)  
Eye & Upper Respiratory Tract irritation Central Nervous System impairment Danger of cutaneous absorption

STEL 150 ppm USA. ACGIH Threshold Limit Values (TLV)  
Eye & Upper Respiratory Tract irritation Central Nervous System impairment Danger of cutaneous absorption

TWA 100 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
600 mg/m3 Limits for Air Contaminants  
Skin designation The value in mg/m3 is approximate.

TWA 100 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
600 mg/m3 1910.1000  
Skin notation

STEL 150 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
900 mg/m3 1910.1000  
Skin notation

TWA 100 ppm USA. NIOSH Recommended Exposure Limits  
600 mg/m3  
Potential for dermal absorption

ST 150 ppm USA. NIOSH Recommended Exposure Limits  
900 mg/m3  
Potential for dermal absorption

sec-Butyl alcohol cas#:(78-92-2) [1-5%]

Components with workplace control parameters

TWA 100 ppm USA. ACGIH Threshold Limit Values (TLV)  
Central Nervous System impairment Upper Respiratory Tract irritation

TWA 150 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
450 mg/m3 Limits for Air Contaminants  
The value in mg/m3 is approximate.

TWA 100 ppm USA. NIOSH Recommended Exposure Limits  
305 mg/m3

**Infinity (Aerosol) (Rev 2-21-24)**

SDS Number: A135B

Revision Date: 2/21/2024

Page 5 of 13

ST 150 ppm USA. NIOSH Recommended Exposure Limits  
 455 mg/m<sup>3</sup>

Diacetone alcohol cas#:(123-42-2) [<5%]

Components with workplace control parameters

TWA 50 ppm USA. ACGIH Threshold Limit Values (TLV)

Eye & Upper Respiratory Tract irritation

TWA 50 ppm USA. NIOSH Recommended Exposure Limits  
 240 mg/m<sup>3</sup>

TWA 50 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1  
 240 mg/m<sup>3</sup> Limits for Air Contaminants

The value in mg/m<sup>3</sup> is approximate.

TWA 50 ppm USA. OSHA - TABLE Z-1 Limits for Air Contaminants -  
 240 mg/m<sup>3</sup> 1910.1000

**9**
**PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Reddish orange liquid	<b>Odor:</b>	Terpene
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Insoluble
<b>Spec Grav./Density:</b>	0.84 +/- 0.05	<b>Percent Volatile:</b>	85-95%
<b>Vapor Pressure:</b>	130-140 Psi	<b>Flash Point:</b>	115 Deg. F
		<b>VOC:</b>	32% Wt.

**10**
**STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	Stable and non-reactive under normal conditions of use, storage and transport.
<b>Conditions to Avoid:</b>	Avoid temperatures exceeding the flash point. Contact with incompatible materials.
<b>Materials to Avoid:</b>	Strong oxidizing agents. Nitrates. Fluorine. Chlorine.
<b>Hazardous Decomposition:</b>	Carbon dioxide, carbon monoxide
<b>Hazardous Polymerization:</b>	Will not occur

**11**
**TOXICOLOGICAL INFORMATION**

Data for the components of this material is summarized as follows:

Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)

**Acute**
*Dermal*

LD50 > 2000 mg/kg (Rabbit)

LD50 > 2000 mg/kg, 24 Hours (Rabbit)

*Inhalation*

LC50 > 7.5 mg/l, 6 Hours (Rat)

LC50 > 4.6 mg/l, 4 Hours (Rat)

*Oral*

LD50 > 5000 mg/kg (Rat)

Eye Irritation: May cause mild, short-lasting discomfort to eyes.  
 Based on test data for structurally similar materials.

**Infinity (Aerosol) (Rev 2-21-24)**

SDS Number: A135B

Revision Date: 2/21/2024

Page 6 of 13

Distillates, Petroleum, Hydrotreated Middle (CAS 64742-46-7)

**Acute***Dermal*

LD50 &gt; 2000 mg/kg, 24 Hours (Rabbit)

*Inhalation*LC50 7640 mg/m<sup>3</sup>, 4 Hours (Rat)

LC50 1.72 mg/l, 4 Hours (Rat)

Solvent Naphtha (Petroleum), Light Aromatic (CAS 64742-95-6)

**Acute***Dermal*

LD50 &gt; 1900 mg/kg, 24 Hours (Rabbit)

*Inhalation*LC50 > 5020 mg/m<sup>3</sup>, 4 Hours (Rat)LC50 > 4980 mg/m<sup>3</sup> (Rat)LC50 > 4980 mg/m<sup>3</sup>, 4 Hours (Rat)

LC50 &gt; 4.96 mg/l, 4 Hours (Rat)

*Oral*

LD50 4820 mg/kg (Rat)

Prolonged skin contact may cause temporary irritation

Causes serious eye irritation

May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity:** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

May be harmful if swallowed and enters airways.

Dipropylene glycol methyl ether cas#:(34590-94-8) [5-10%]

## Information on toxicological effects

## Acute toxicity:

Oral LD50 LD50 Oral - rat - 5,152 mg/kg

Inhalation LC50 no data available

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: Serious eye damage/eye irritation:

Eyes - rabbit - Mild eye irritation - 24 h

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

## Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

---

**Infinity (Aerosol) (Rev 2-21-24)**

---

SDS Number: A135B

Revision Date: 2/21/2024

Page 7 of 13

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data availableSpecific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: JM1575000

sec-Butyl alcohol cas#:(78-92-2) [1-5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 2,193 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia. Behavioral:Coma.

Inhalation LC50 Dermal LD50 LD50 Dermal - rat - &gt; 2,000 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.



---

**Infinity (Aerosol) (Rev 2-21-24)**

---

SDS Number: A135B

Revision Date: 2/21/2024

Page 8 of 13

Reproductive toxicity: Reproductive toxicity - rat - Inhalation:

Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Embryo or Fetus: Fetal death. Specific Developmental Abnormalities: Musculoskeletal system.  
no data available

Teratogenicity: Developmental Toxicity - rat - Inhalation:

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).  
no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Signs and Symptoms of Exposure: Nausea, Dizziness, Headache, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: EO1750000

Diacetone alcohol cas#:(123-42-2) [<5%]

Information on toxicological effects

Acute toxicity:

Oral LD50 LD50 Oral - rat - 2,520 mg/kg Remarks: Behavioral:Tremor. Behavioral:Convulsions or effect on seizure threshold. Liver:Other changes.

Inhalation LC50 LC50 Inhalation - rat - 4 h - 1500 ppm

Dermal LD50 LD50 Dermal - rabbit - 13,500 mg/kg

Other information on acute toxicity no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes - rabbit - Severe eye irritation - 24 h

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential



Infinity (Aerosol) (Rev 2-21-24)

SDS Number: A135B

Revision Date: 2/21/2024

Page 9 of 13

carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):  
no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):  
no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Ingestion May be harmful if swallowed. Skin May be harmful if absorbed through skin. Causes skin irritation. Eyes Causes eye irritation.

Signs and Symptoms of Exposure: Central nervous system depression, Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness., Blood disorders, Dermatitis, Blurred vision, Effects due to ingestion may include:, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information:

RTECS: SA9100000

12

## ECOLOGICAL INFORMATION

Data for the components of this material is summarized as follows:

Distillates, petroleum,hydrotreated light (64742-47-8)and  
Distillates, petroleum,hydrotreated middle (64742-46-7)  
Ecotoxicity- Not expected to be harmful or to demonstrate chronic  
toxicity to aquatic organisms.  
Biodegradation- Expected to be readily biodegradable.

Distillates (Petroleum), Hydrotreated Light (CAS 64742-47-8)

**Aquatic**

Fish LC50 2.9 mg/l, 96 hours Rainbow trout,donaldson trout (Oncorhynchus mykiss)

Petroleum solvent (64742-95-6)

Expected to be readily biodegradable.

Solvent Naphtha (Petroleum), Light Aromatic (CAS 64742-95-6)

**Aquatic**

Crustacea EC50 6.14 mg/L, 48 Hours Daphnia

No data available of the mobility in soil.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

---

**Infinity (Aerosol) (Rev 2-21-24)**

---

SDS Number: A135B

Revision Date: 2/21/2024

Page 10 of 13

Dipropylene glycol methyl ether cas#:(34590-94-8) [5-10%]

**Information on ecological effects****Toxicity:**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - > 10,000 mg/l - 96 h.

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 1,919 mg/l - 48 h.

and other aquatic invertebrates

Persistence and degradability: Biodegradability

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

sec-Butyl alcohol cas#:(78-92-2) [1-5%]

**Information on ecological effects****Toxicity:**

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 3,670 mg/l - 96 h.

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 4,227 mg/l - 48 h.

and other aquatic invertebrates

EC100 - Daphnia magna (Water flea) - 5,000 mg/l - 24 h

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Diacetone alcohol cas#:(123-42-2) [<5%]

**Information on ecological effects****Toxicity:**

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 420 mg/l - 96 h.

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 9,000 mg/l - 24 h.

and other aquatic invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

## Infinity (Aerosol) (Rev 2-21-24)

SDS Number: A135B

Revision Date: 2/21/2024

Page 11 of 13

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

13

## DISPOSAL CONSIDERATIONS

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14

## TRANSPORT INFORMATION

### DOT

UN number	UN1950
UN proper shipping name	Aerosols, flammable, (each not exceeding 1 L capacity)
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	N82
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity until 12/31/2020, the "Consumer Commodity-ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking on both and may be displayed concurrently.

### IATA

UN number	UN1950
UN proper shipping name	Aerosols, flammable
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	Yes
ERG Code	10L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	

## Infinity (Aerosol) (Rev 2-21-24)

SDS Number: A135B

Revision Date: 2/21/2024

Page 12 of 13

Passenger and cargo Aircraft	Allowed
Cargo aircraft only	Allowed
Packaging exceptions	LTD QTY

**IMDG**

UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.1
Subsidiary risk	-
Label(s)	2.1
Packing group	Not applicable
Environmental hazards	
Marine pollutant	Yes
EmS	F-D, S-U
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging exceptions	LTD QTY
Transport in bulk according to AnnexII of MARPOL 73/78 and the IBC Code	Not applicable.

15

**REGULATORY INFORMATION**

[%] RQ (CAS#) Substance - Reg Codes

[15-40%] Distillates, petroleum, hydrotreated light (64742-47-8) TSCA

[15-40%] Distillates, petroleum, hydrotreated middle (64742-46-7) TSCA

[7-13%] Petroleum solvent (64742-95-6) TSCA

[5-10%] Dipropylene glycol methyl ether (34590-94-8) MASS, OSHAWAC, PA, TSCA, TXAIR

[1-5%] sec-Butyl alcohol (78-92-2) MASS, NJHS, OSHAWAC, PA, SARA313, TSCA, TXAIR

[&lt;5%] Diacetone alcohol (123-42-2) MASS, OSHAWAC, PA, TSCA, TXAIR

[&lt;10%] Pine oil (8002-09-3) TSCA

This product is not for sale or distribution in California

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

**Regulatory Code Legend**

-----

TSCA = Toxic Substances Control Act  
 MASS = MA Massachusetts Hazardous Substances List  
 OSHAWAC = OSHA workplace Air Contaminants  
 PA = PA Right-To-Know List of Hazardous Substances  
 TXAIR = TX Air Contaminants with Health Effects Screening Level  
 NJHS = NJ Right-to-Know Hazardous Substances  
 SARA313 = SARA 313 Title III Toxic Chemicals

16

**OTHER INFORMATION**

We believe the statements, technical information and recommendations contained herein are reliable, but they are given

---

Infinity (Aerosol) (Rev 2-21-24)

SDS Number: A135B

Revision Date: 2/21/2024

Page 13 of 13

without warranty or guarantee of any kind.  
N/A = Not available    N/D = Not determined

Revision Date: 2/21/2024