

Mildex 100 (Rev 2-8-24)

SDS Number: W850F

Revision Date: 2/8/2024

Page 1 of 6

1

## PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Wechem, Inc  
5734 Susitna Dr  
Harahan, LA 70123

**Contact:** Ligia M. Hernandez  
**Phone:** 504-733-1152  
**Fax:** 504-733-2218  
**Web:** www.wechem.com

**Product Identifier:** Mildex 100 (Rev 2-8-24)  
**SDS Number:** W850F  
**Product Code:** W850  
**Revision Date:** 2/8/2024  
**Product Use:** Instant Mildew Stain Remover

Emergency Telephone Number:  
INFOTRAC  
1-800-535-5053

2

## HAZARDS IDENTIFICATION

### Classification of the Substance or Mixture

#### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Corrosive to Metals, 1  
Health, Acute toxicity, 4 Oral  
Health, Skin corrosion/irritation, 2  
Health, Serious Eye Damage/Eye Irritation, 2 A  
Health, Specific target organ toxicity - Single exposure, 3

### GHS Label Elements, Including Precautionary Statements

**GHS Signal Word:** **WARNING**

**GHS Hazard Pictograms:**



#### GHS Hazard Statements:

H290 - May be corrosive to metals  
H302 - Harmful if swallowed  
H315 - Causes skin irritation  
H319 - Causes serious eye irritation  
H335 - May cause respiratory irritation

#### GHS Precautionary Statements:

P234 - Keep only in original container.  
P260 - Do not breathe mist or vapor.  
P264 - Wash thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

**Mildex 100 (Rev 2-8-24)**

SDS Number: W850F

Revision Date: 2/8/2024

Page 2 of 6

P304+341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P333+313 - If skin irritation or a rash occurs: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.  
P403+233 - Store in a well ventilated place. Keep container tightly closed.  
P405 - Store locked up.  
P410 - Protect from sunlight.  
P422 - Store contents in a cool, dry place away from children.  
P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

### Hazards not Otherwise Classified (HNOC) or not Covered by GHS

**Route of Entry:** Ingestion, skin absorption, eye, inhalation  
**Inhalation:** Can cause nasal and respiratory irritation.  
**Skin Contact:** Causes skin irritation with prolonged contact.  
**Eye Contact:** Causes eye irritation.  
**Ingestion:** Can cause gastrointestinal irritation.

<b>3</b>	<b>COMPOSITION/INFORMATION ON INGREDIENTS</b>
----------	---

Chemical Ingredients:		
CAS#	%	Chemical Name:
7681-52-9	5-9%	Sodium hypochlorite

<b>4</b>	<b>FIRST AID MEASURES</b>
----------	---------------------------

**Inhalation:** Move to fresh air. Call a physician if symptoms develop or persist.  
**Skin Contact:** In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical advice/attention.  
**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get immediate medical advice/attention.  
**Ingestion:** Do not induce vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Get immediate medical advice/attention.

The most important symptoms/effects are: Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

<b>5</b>	<b>FIRE FIGHTING MEASURES</b>
----------	-------------------------------

**Flammability:** Non flammable  
**Flash Point:** Not available  
Extinguishing media: Water fog, Foam, dry chemical, carbon dioxide (CO2).

Special Fire fighting procedures: Use self-contained breathing apparatus and protective clothing if needed.

Unusual Fire & Explosion Hazard: Reaction with organic materials and oxidizing agents.

<b>6</b>	<b>ACCIDENTAL RELEASE MEASURES</b>
----------	------------------------------------

**Mildex 100 (Rev 2-8-24)**

SDS Number: W850F

Revision Date: 2/8/2024

Page 3 of 6

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Absorb with inert material and reclaim into sound containers for proper disposal. For personal protection, see section 8 of the SDS.

<b>7</b>	<b>HANDLING AND STORAGE</b>
----------	-----------------------------

**Handling Precautions:** Corrosive Liquid. Wear appropriate personal protective equipment. Do not breathe mist or vapor. Use with adequate ventilation. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practices.

**Storage Requirements:** Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking. Corrosive Liquid. Keep out of reach of children. Keep container tightly closed and in a well-ventilated place. Store in a cool dry, climate controlled area, away from incompatibles, sparks and open flame.

<b>8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>
----------	--

**Engineering Controls:** Ventilation Requirement: Local exhaust  
**Personal Protective Equipment:** Personal protective equipment  
 Eye/face protection: Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact: Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min  
 Material tested: Dermatril (KCL 740 / Aldrich Z677272, Size M)

Splash contact: Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min  
 Material tested: Dermatril (KCL 740 / Aldrich Z677272, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection: Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Mildex 100 (Rev 2-8-24)**

SDS Number: W850F

Revision Date: 2/8/2024

Page 4 of 6

Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

 Sodium hypochlorite cas#:(7681-52-9) [5-15%]  
 Components with workplace control parameters

 STEL 2 mg/m3 USA. Workplace Environmental  
 Exposure Levels (WEEL)

<b>9</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b>
----------	---

<b>Appearance:</b>	Light greenish-yellow liquid	<b>Odor:</b>	Chlorine
<b>Physical State:</b>	Liquid	<b>Solubility:</b>	Complete
<b>Spec Grav./Density:</b>	(H2O=1): 1.02 +/- 0.1	<b>Flash Point:</b>	None to boiling
<b>Boiling Point:</b>	212 Deg. F.	<b>VOC:</b>	NA
<b>Flammability:</b>	Non flammable		
<b>pH:</b>	12.5 +/- 1		

<b>10</b>	<b>STABILITY AND REACTIVITY</b>
-----------	---------------------------------

<b>Chemical Stability:</b>	Stable and non-reactive under normal conditions of use, storage and transport.
<b>Conditions to Avoid:</b>	Contact with incompatible materials.
<b>Materials to Avoid:</b>	Organic materials, oxidizing agents.
<b>Hazardous Decomposition:</b>	Chlorine gas.
<b>Hazardous Polymerization:</b>	Will not occur

<b>11</b>	<b>TOXICOLOGICAL INFORMATION</b>
-----------	----------------------------------

Acute Toxicity  
 Data summary for the components are as follows:

Sodium hypochlorite cas#:(7681-52-9)  
 Dermal LD50 > 2 g/kg (Rabbit)  
 Oral LD50 3-5 g/kg (Rat)

Information on toxicological effects

Inhalation: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

Mildex 100 (Rev 2-8-24)

SDS Number: W850F

Revision Date: 2/8/2024

Page 5 of 6

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

12

## ECOLOGICAL INFORMATION

Data summary for the components are as follows:

Sodium hypochlorite cas#:(7681-52-9)

Aquatic

Crustacea

LC50 1 mg/l Daphnia

Fish

LC50 0.6 mg/l, 48 hrs Bluegill (Lepomis machrochirus)

Information on ecological effects

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life.

13

## DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national/international regulations.

Mildex 100 (Rev 2-8-24)

SDS Number: W850F

Revision Date: 2/8/2024

Page 6 of 6

Sodium hypochlorite cas#:(7681-52-9) [5-15%]

Waste treatment methods

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging: Dispose of as unused product.

14	<b>TRANSPORT INFORMATION</b>
----	------------------------------

Proper Shipping Name: For 5 to 55 Gal: UN1791, Hypochlorite Solutions, 8, PGIII

15	<b>REGULATORY INFORMATION</b>
----	-------------------------------

Component (CAS#) [%] - CODES

-----  
RQ(100LBS), Sodium hypochlorite (7681-52-9) [5-15%] CERCLA, CSWHS, MASS, PA, TSCA

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory CODE Descriptions

-----  
RQ = Reportable Quantity  
CERCLA = Superfund clean up substance  
CSWHS = Clean water Act Hazardous substances  
MASS = MA Massachusetts Hazardous Substances List  
PA = PA Right-To-Know List of Hazardous Substances  
TSCA = Toxic Substances Control Act

16	<b>OTHER INFORMATION</b>
----	--------------------------

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. \*\* Chemical listed as carcinogen or potential carcinogen. [a] NTP [b] IARC Monograph [c] OSHA [d] Not listed [e] Animal Data only  
N/A = Not available N/D = Not determined

Revision Date: 2/8/2024