

QC LUBE is a one-step cleaner and lubricant, that penetrates to coat contacts and provide corrosion protection on switchgear blade mechanisms. **QC LUBE** includes High Purity Solvents for cleaning and a special grade silicone for lubricating. Removes grease, dirt, oil and operating erosion from all electro-mechanical devices. Safe for use on metering, distribution and substation class switchgear contacts, including URD and OVH applications. **QC LUBE** protects against atmospheric contaminant buildup that can cause sticking blades or contacts, and does not degrade seals, gaskets, and most plastic insulators making it safe for use on most rubber and plastics.

QC LUBE, a multi-purpose silicone spray that forms an oxygen barrier and helps reduce corona cutting and weather checking on rubber equipment. **QC LUBE** also reduces surface creepage due to wet weather and high humidity.

DIRECTIONS

Thoroughly clean the surface to be sprayed with **QC LUBE**. Spray a light film with a sweeping motion. When used on sticking surfaces, work object back and forth. Spray again if necessary.

This solvent system has tested safe on: Neoprene, Buna, Silicone, Butyl and Natural Rubber, Nylon, Hypalon®, PTFE, PVC, Polyurethane, Polyethylene, Polypropylene and Epoxy.

NOTE: Product may harm some plastics. TEST ALL SURFACES IF NOT LISTED ON LABEL BEFORE USE.



QC LUBE™

High Voltage Switchgear Cleaner & Lubricant

**CLEANS, PENETRATES & LUBRICATES
PREVENTS CORROSION
USE ON STATIONARY CONTACTS & TERMINALS
31,000 VOLT DIELECTRIC STRENGTH
PER (ASTM D877)*
NON-FLAMMABLE, DRIES FAST, ZERO RESIDUE**

CAUTION

**CONTENTS UNDER PRESSURE.
SEE OTHER CAUTIONS ON SIDE PANEL.**

Net Wt. 10 OZ / 284 g

10/17



WARNING

Contains gas under pressure, may explode if heated. Causes eye irritation. Harmful if inhaled. Avoid breathing gas. Use only outdoors or in a well-ventilated area. Protect from sunlight. Store in a well-ventilated place. Dispose of contents/container in accordance with local/regional/national/international regulations.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center/doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN: No adverse effects due to skin contact are expected.

IF SWALLOWED: Not likely, due to the form of the product

Contains: Trans-1, 2-dichloroethylene (156-60-5), 1, 1, 1, 2-Tetrafluoroethane (811-97-2), Methyl Nonafluorobutyl Ether (163702-07-6), Methyl Nonafluoroisobutyl Ether (163702-08-7), Ethyl Nonafluoroisobutyl Ether (163702-07-6), and Ethyl Nonafluorobutyl Ether (163702-05-4).

Caution: Use with adequate ventilation. Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C). Chemical contact with flames or extremely hot surfaces may lead to the formation of dangerous decomposition products.

KEEP OUT OF REACH OF CHILDREN.

See Safety Data Sheet for complete safety information.
24 HOUR MEDICAL EMERGENCY: 1-800-535-5053.
CONTAINS NO OZONE DEPLETING CHEMICALS!



SCAN FOR SDS



Wechem, Inc.

5734 Susitna Dr • Harahan, LA 70123

(504) 733-1152 • 800-426-0512

FAX (504) 733-2218 • WWW.WECHEM.COM

1
20504
36435
7