

### SDS Number: A220B

Revision Date: 8/7/2023

Page 1 of 7

## **PRODUCT AND COMPANY IDENTIFICATION**

#### Manufacturer

Wechem, Inc 5734 Susitna Dr Harahan, LA 70123

Contact:	Ligia M. Hernandez
Phone:	504-733-1152
Fax:	504-733-2218
Web:	www.wechem.com

Product Identifier:	Sunshine (Rev. 08/07/2023)
SDS Number:	A220B
Product Code:	A220
Revision Date:	8/7/2023
Product Use:	Wood & Furniture Cleaner / Polish

Emergency Telephone Number: INFOTRAC 1-800-535-5053

**HAZARDS IDENTIFICATION** 

### **Classification of the Substance or Mixture**

### GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 2 Physical, Gases Under Pressure, Liquefied Gas

## **GHS Label Elements, Including Precautionary Statements**

### **GHS Signal Word: WARNING**

#### GHS Hazard Pictograms:



#### GHS Hazard Statements:

H223 - Flammable aerosol

H280 - Contains gas under pressure; may explode if heated

#### **GHS Precautionary Statements:**

P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking

P211 - Do not spray on an open flame or other igntion source.

P251 - Pressurized container: Do not pierce or burn, even after use.

P264 - Wash hands and face thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280b - Wear protective gloves/eye protection/face protection.

P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302 - IF ON SKIN: Wash with plenty of water. Get medical attention immediately.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER/doctor if you feel unwell.

P315 - Get immediate medical advice/attention.

P331 - Do NOT induce vomiting.



SDS Number: A220B

Revision Date: 8/7/2023

Page 2

P332 + P313 - If skin irritation occurs: Get medical advice/attention.

P337 + P313 - If eye irritation persists: Get medical advice/attention. P362 + P364 - Take off contaminated clothing and wash it before reuse.

P403 - Store in a well-ventilated place.

P405 - Store locked up.

P410+412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

## Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry:	Eyes, Ingestion, Inhalation, Skin
Target Organs:	NA
Inhalation:	May cause respiratory tract irritation.
Skin Contact:	May cause skin irritation.
Eye Contact:	Causes mild irritation.
Ingestion:	Harmful if swallowed. May cause gastrointestinal irritation.

## **COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Ingredients:			
CAS#	%	Chemical Name:	
68476-86-8	10-30%	Propane/n-Butane	

## **FIRST AID MEASURES**

Inhalation: Move to fresh air. If breathing difficulty persists, seek medical attention.

Skin Contact: Immediately wash with soap and warm water for 15 minutes.

Immediately flush with water for 15 - 20 minutes while holding eyelids open. Seek medical attention if irritation persists. Eye Contact: Ingestion: If swallowed: Rinse mouth. Do NOT induce vomiting. Get medical advice or attention.

ACUTE HEALTH HAZARDS: Eye: stinging, tearing, redness

Oral: Aspiration risk

## CHRONIC HEALTH HAZARDS: None Known

**NOTE TO PHYSICIAN:** If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

5	FIRE FIGHTING MEASURES	
Flammability:	Flammable Aerosol	
Flash Point:	200 F (liquid portion)	

200 F (liquid portion)

EXTINGUISHING MEDIA: Dry chemical, foam, or Carbon Dioxide (CO2).

UNSUITABLE EXTINGUISHING MEDIA: N/A

SPECIAL FIRE FIGHTING PROCEDURES: Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a positive pressure demand mode with full body protective clothing when fighting fires. Avoid contact with skin and breathing smoke, fumes, and decomposition products. Cool fire exposed containers with water fog to prevent bursting.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Keep away from sparks, open flames, and hot surfaces. No smoking. Do not spray on an open flame or other ignition source.

HAZARDOUS COMBUSTION PRODUCTS: None Known



SDS Number: A220B

Revision Date: 8/7/2023 Page 3 of 7

6

# ACCIDENTAL RELEASE MEASURES

SDS

**PERSONAL PROTECTIVE EQUIPMENT:** Refer to section VIII for proper Personal Protective Equipment.

**SPILL:** Absorb with non-combustible material like vermiculite, sand or earth and rinse with small amount of soapy water. Do not allow to drain into sewers or storm drains. Dispose of in accordance with local, state and federal regulations.

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations.

**RCRA STATUS:** Product should be fully characterized prior to disposal (40 CFR 261).

7	HANDLING AND STORAGE
Handling Precautions:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store locked up. Pressurized container: Do not pierce or burn, even after use.
Storage Requirements:	Store in a cool, dry place. Do not get in eyes, on skin or on clothing. Intentional misuse by deliberately concentrating and inhaling may be harmful. Keep out of reach of children.

0	EXPOSURE CONTROLS/PERSONAL PROTECTION
Engineering Controls:	General ventilation adequate.
Personal Protective Equipment:	Eye Protection: Safety glasses
4	Skin Protection: To prevent repeated or prolonged contact, wear impervious gloves (made from rubber, nitrile or neoprene).
	Respiratory Protection: Not required with normal use. Wear NIOSH/MSHA approved respiratory protection if exposure limits are exceeded.
such as washing after	nen using do not smoke. Avoid contact with skin. Always observe good personal hygiene measures, handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and to remove contaminants.
Pronane / n-Butane .ca	s#:(68476-86-8) [10-30%]
•	
components with work	place control parameters
T\A/A 4 000	
TWA 1,000 ppm	USA. ACGIH Threshold Limit Values
/···	u USA. ACGIH Threshold Limit Values (TLV)
Central Nervous Syster Cardiac sensitization TWA 1,000 ppm 1,800 mg/m3	u USA. ACGIH Threshold Limit Values (TLV) m impairment USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air
Central Nervous System Cardiac sensitization TWA 1,000 ppm 1,800 mg/m3	u USA. ACGIH Threshold Limit Values (TLV) m impairment USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Central Nervous Syster Cardiac sensitization TWA 1,000 ppm 1,800 mg/m3 The value in mg/m3 is a	u USA. ACGIH Threshold Limit Values (TLV) m impairment USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants approximate.
Central Nervous Syster Cardiac sensitization TWA 1,000 ppm 1,800 mg/m3 The value in mg/m3 is a	<ul> <li>USA. ACGIH Threshold Limit Values</li> <li>(TLV)</li> <li>m impairment</li> <li>USA. Occupational Exposure Limits</li> <li>(OSHA) - Table Z-1 Limits for Air</li> <li>Contaminants</li> <li>approximate.</li> <li>USA. OSHA - TABLE Z-1 Limits for</li> </ul>
Central Nervous Syster Cardiac sensitization TWA 1,000 ppm 1,800 mg/m3 The value in mg/m3 is a TWA 1,000 ppm	<ul> <li>USA. ACGIH Threshold Limit Values (TLV)</li> <li>m impairment</li> <li>USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air</li> <li>Contaminants approximate.</li> <li>USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000</li> <li>USA. NIOSH Recommended</li> </ul>



SDS Number: A220B

Revision Date: 8/7/2023 Page 4 of 7

PHYSICAL AND CHEMICAL PROPERTIES Appearance: White Foam Odor: **Physical State:** Liquid Lemon Spec Grav./Density: (H20=1): 0.94-0.97 @ 77 F (25 C) Solubility: 75% (in Water) Flash Point: **Boiling Point:** > 390 F 200 F (liquid portion) Flammability: Flammable Aerosol VOC: 12 %wt pH: 6-7 Evap. Rate: Slow **STABILITY AND REACTIVITY** Reactivity: Under normal conditions of storage and use, hazardous reactions will not occur

Reactivity.	onder normal conditions of storage and use, nazardous reactions will not occur.
Chemical Stability:	Stable under normal conditions.
Conditions to Avoid:	Temperatures greater than 122°F and sources of ignition.
Materials to Avoid:	Strong alkalis, oxidizers, bases, reactive metals, and natural rubber.
Hazardous Decomposition:	Oxides of carbon, various hydrocarbons.
Hazardous Polymerization:	None Known

TOXICOLOGICAL INFORMATION

**ROUTES OF ENTRY:** Eyes, Ingestion, Inhalation, Skin

**EYES:** Causes mild irritation.

**INGESTION:** May cause gastrointestinal irritation, nausea, diarrhea, vomiting. harmful if swallowed.

**INHALATION:** May cause irritation to the respiratory tract.

SKIN: May cause irritation, localized defatting. Redness and itching or burning sensation may indicate excessive exposure.

**MEDICAL CONDITION AGGRAVATED:** Pre-existing disorders of the skin, respiratory system, and eyes will be aggravated by over exposure.

ACUTE HEALTH HAZARDS: Eye: stinging, tearing, redness Oral: Aspiration risk CHRONIC HEALTH HAZARDS: None Known

## CARCINOGENICITY: OSHA: No ACGIH: No NTP: No IARC: No OTHER: N/A

Propane / n-Butane cas#:(68476-86-8) [10-30]

Information on toxicological effects

Acute toxicity: no data available

Inhalation: no data available



SDS Number: A220B

Revision Date: 8/7/2023 Page 5 of 7

Dermal: no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: TX2275000

Dizziness, Drowsiness, Unconsciousness

## **ECOLOGICAL INFORMATION**

ECOTOXICITY: Prevent run-off to sewers, streams or other bodies of water product contians oil.

**PERSISTENCE AND DEGRADABILITY:** This product is biodegradable.

**BIOACCUMULATIVE POTENTIAL:** This product is not expected to bioaccumulate.

**MOBILITY IN SOIL:** This product is mobile in soil.

**OTHER ADVERSE EFFECTS:** None Known

Propane / n-Butane cas#:(68476-86-8) [10-30%]

Information on ecological effects



SDS Number: A220B

Revision Date: 8/7/2023 Page 6 of 7

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: Dispose of in accordance with federal, state, and local regulations.

RCRA STATUS: Product should be fully characterized prior to disposal (40 CFR 261).

TRANSPORT INFORMATION

PROPER SHIPPING NAME: Aerosols, Ltd. Qty. HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKING GROUP: N/A

AIR SHIPMENT PROPER SHIPPING NAME: Aerosols, flammable HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKING GROUP: N/A

SHIPPING BY WATER: VESSEL (IMO/IMDG) PROPER SHIPPING NAME: Aerosols HAZARD CLASS/DIVISION: 2.1 UN/NA NUMBER: UN 1950 PACKING GROUP: N/A ENVIRONMENTAL HAZARDS WATER: N/A

**REGULATORY INFORMATION** 

[%] RQ (CAS#) Substance - Reg Codes

[10-30%] Propane/ n-butane (68476-86-8) TSCA, MASS, NJHS, OSHAWAC, PA, TSCA, TXAIR

This product does not contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.

Regulatory Code Legend



SDS Number: A220B

Revision Date: 8/7/2023 Page 7 of 7

OSHAWAC = OSHA Workplace Air Contaminants PA = PA Right-To-Know List of Hazardous Substances TXAIR = TX Air Contaminants with Health Effects Screening Level

## OTHER INFORMATION

**DISCLAIMER:** To the best of our knowledge, information contained herein is accurate. However there is no assumption of liability for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists. The information contained in this SDS was obtained from current and reliable sources; however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of the manufacturer, the manufacturer will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this SDS shall be created or inferred by any statement in this SDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

N/A = Not available N/D = Not determined

Revision Date: 8/7/2023