

This product is for use on hard, non-porous surfaces including homes, day care centers, schools, food processing plants, food establishments, restaurants, transportation terminals, office buildings, factories, hotels, business, athletic facilities, and gyms.

Is an effective bactericide, virucide* and fungicide in the presence of organic soil, 5% blood serum and 400 ppm hard water.

Is an effective fungicide against *Trichophyton interdigitale*, the athlete's foot fungus, and *Candida albicans* on hard, non-porous surfaces in the presence of 5% blood serum and 400 ppm water hardness as CaCO₃ on bathroom surfaces.

Effective in hard water up to 400 ppm hardness calculated as CaCO₃ in the presence of 5% soil.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Acinetobacter baumannii (ATCC 19003), Acinetobacter Iwoffi (ATCC 9957), Acinetobacter Iwoffi (ATCC 15309), Bordetella bronchiseptica (ATCC 10580), Chlamydia psittaci (VR-125), Citrobacter freundii (ATCC 8090), Enterobacter agglomerans (ATCC 27155), Enterobacter cloacae (ATCC 13047), Escherichia coli (ATCC 11229), Escherichia coli O157:H7 (ATCC 35150), Escherichia coli (Carbapenem Resistant) (CDC 81371), Escherichia coli (Extended Spectrum B-Lactamase) (ESBL) (ATCC BAA-196), Escherichia coli (Tetracycline Resistant) (ATCC 47041), Enterococcus faecalis (ATCC 19433), Enterococcus faecalis (Vancomycin Resistant) (VRE) (ATCC 51299), Enterococcus hirae (ATCC 10541), Fusobacterium necrophorum (ATCC 27852), Klebsiella aerogenes (ATCC 13048), Klebsiella oxytoca (ATCC 13182), Klebsiella pneumoniae (ATCC 13883), Klebsiella pneumoniae (Carbapenem Resistant) (NDM-1) (ATCC BAA-2146), Listeria monocytogenes (ATCC 19117), Micrococcus luteus (ATCC 14452), Micrococcus luteus (ATCC 4698), Pasturella multocida (ATCC 12947), Proteus vulgaris (ATCC 9920), Proteus vulgaris (ATCC 13315), Pseudomonas aeruginosa (ATCC 15442), Pseudomonas aeruginosa (Tetracycline Resistant) (ATCC 27853), Pseudomonas cepacia (ATCC 25416), Salmonella enterica (ATCC 23264), Salmonella enterica (ATCC 10708), Salmonella enteritidis (ATCC 4931), Salmonella enterica serotype pullorum (ATCC 19945), Salmonella typhi (ATCC 6539), Salmonella typhimurium (ATCC 23264), Serratia marcescens (ATCC 9103), Serratia marcescens (ATCC 14756), Shigella flexneri (ATCC 9380), Shigella flexneri (ATCC 12022), Shigella sonnei (ATCC 25931), Staphylococcus aureus (ATCC 6538), Staphylococcus aureus (ATCC 25923), Staphylococcus aureus (ATCC 33586), Staphylococcus aureus (ATCC 14154), Staphylococcus aureus (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 200), Staphylococcus aureus (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 400), Staphylococcus aureus (Methicillin Resistant) (MRSA) (ATCC 33592), Staphylococcus epidermidis (ATCC 14990), Staphylococcus epidermidis (Ampicillin, Cefazolin, Oxacillin, Penicillin Resistant) (ATCC 51625), Streptococcus agalactiae (ATCC 13813), Staphylococcus haemolyticus (ATCC 29970), Streptococcus pneumoniae (Penicillin Resistant) (ATCC 51915), Streptococcus pyogenes (ATCC 19615), Streptococcus mutans (ATCC 25175), Staphylococcus aureus (Vancomycin Intermediate Resistant) (VISA) (HIP 5836), Vibrio cholera (ATCC 11623), Yersinia enterocolitica (ATCC 23715).

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus (Reassortant Strain) (CDC 2006719965), Avian Influenza A (H3N2) Virus (Avian Reassortant) (VR-2072), Cytomegalovirus (AD-169), Coronavirus (SARS-associated) (CDC 200300592), Hantavirus (PHV), Hepatitis B Virus (HBV) (Duck Hepatitis B Virus), Hepatitis C Virus (HCV) (Bovine Viral Diarrhea Virus), Herpes Simplex Virus Type 1 (VR-733), Herpes Simplex Virus Type 2 (VR-734), Human Coronavirus (VR-740), Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus), Influenza A (H1N1) Virus (Strain A/PR/8/34), Influenza A (H3N2) Virus (Hong Kong Strain) (VR-544), Respiratory Syncytial Virus (VR-26), SARS-CoV-2 (SARS Coronavirus 2) (USA-WA1/2020) (BEI NR-52281) (COVID-19 virus) (2019-nCoV), Vaccinia Virus (VR-119).

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Klebsiella pneumoniae (ATCC 4352), Staphylococcus aureus (ATCC 6538).

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Candida albicans (ATCC 10231), Trichophyton interdigitale (formerly T. mentagrophytes) (ATCC 9533) (Athlete's foot fungus) (Ringworm fungus).

MILDEWSTATIC PERFORMANCE: This product controls the following mold at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: Aspergillus niger (ATCC 16404).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label and use strictly in accordance with precautionary statements and directions.

Rinse hard, non-porous food contact surfaces with potable water after application of product.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP NON-FOOD CONTACT SURFACE, GENERAL, HOSPITAL, MEDICAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, DEODORIZER, CLEANER:

1. Pre-clean visibly soiled areas. 2. Apply use solution of 4 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain visibly wet for 10 minutes. Rinse with potable water after use on surfaces that come in contact with food. 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. Specific barrier protection items to be worn when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surfaces to remain visibly wet for 10 minutes for all organisms.

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Pre-clean equipment if visibly soiled to ensure proper surface contact. Prepare a use solution by adding 4 oz. of this product per gal. of water (or equivalent use dilution) (660 ppm active). Gently mix for uniform use solution. Apply use solution to surfaces of the respirator with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 10 minutes. Rub with brush, cloth, or sponge and remove excess solution from equipment prior to storage. The user must comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR § 1910.134). Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean visibly soiled areas. Add 4 oz. of this product per gal. of water (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 3 minutes. Prepare a fresh solution daily or when visibly dirty.



Engineered Chemistries
SUPERIOR SOLUTIONS

PRO-LINE™

Cleaner, Disinfectant, Sanitizer,
Deodorizer, Fungicide, Mildewstat, Virucide*

ACTIVE INGREDIENTS:

Didecyl Dimethyl Ammonium Chloride..... 1.27%

Alkyl (50% C14, 40% C12, 10% C16)

Dimethyl Benzyl Ammonium Chloride 0.85%

OTHER INGREDIENTS: 97.88%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

For chemical, medical, and environmental emergencies, call 800-535-5053 24 hours a day, 7 days a week.

WEICHEM, INC.
5734 Susitna Dr., Harahan, LA 70123
(504) 733-1152 • 800-426-0512 • FAX: (504) 733-2218

EPA REG. NO. 10324-157-34370
EPA EST. NO. 34370-LA-001

NET CONTENTS: 1 U.S. GALLON

K-20

TO CONTROL MOLD/MILDEW: Pre-clean visibly soiled areas. Prepare use solution by adding 4 oz. of this product per gal. of water (or equivalent use dilution). Apply use solution to hard, non-porous surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANING DIRECTIONS

Remove visible soil prior to disinfection.

From a Concentrate: Add 4 oz. of this product directly into the water in the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a toilet brush/mop, cloth, or sponge. Allow surfaces to remain visibly wet for 10 minutes and flush. **From a Use Solution:** Empty water out of toilet bowl or urinal and apply use solution prepared by adding 4 oz. of this product per gal. of water (or equivalent use dilution) (660 ppm active) to exposed surfaces, including under the rim with a toilet brush/mop, cloth, or sponge, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain visibly wet for 10 minutes and flush.

FOR HEAVY DUTY CLEANING OF TOILET BOWLS AND URINALS: Pre-clean visibly soiled areas. Empty water from toilet bowl or urinal and apply a use solution of 8 oz. of this product per gal. of water to exposed surfaces including under the rim with toilet brush/mop, cloth, or sponge, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For sprayer application, spray 6-8 inches from surface. Do not breathe spray. To aid in soil removal, allow to soak. Allow surfaces to remain visibly wet for 10 minutes and flush.

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply use solution of 4 - 8 oz. of this product per gal. of water (or equivalent use dilution) to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry. Rinse with potable water after use on surfaces that come in contact with food. For heavy-duty use, add 16 oz. of this product per gal. of water to clean hard, non-porous surfaces.

SEWER BACKUP & RIVER FLOODING: To use as a deodorizer, dilute 4 - 8 oz. of this product per gal. of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a mechanical spray device, coarse pump or trigger spray device before and after cleaning and extraction. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Use proper ventilation; open windows. (Not for use in CA.)

CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PANELING: To use as a deodorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 4 - 8 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device or coarse pump or trigger spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Roll, brush or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly. (Not for use in CA.)

WATER AND SMOKE DAMAGE RESTORATION: Effective against odor caused by smoke and water damage. This product is particularly suitable for use in water damage restoration. Dilute 4 - 8 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Saturate affected materials with enough product to remain visibly wet for at least 10 minutes. Use proper ventilation. (Not for use in CA.)

SPECIAL INSTRUCTIONS FOR CLEANING AND DISINFECTING AREAS WHICH MAY BE INFESTED WITH HANTAVIRUS: Infection with Hantavirus occurs by inhalation of infectious materials. CDC recommends that persons involved with cleanup wear coveralls, rubber boots or disposable shoe covers, rubber or plastic gloves, protective goggles, and a half mask air purifying, negative pressure respirator with a high efficiency particulate air filter or a powered air-purifying respirator with HEPA filter. Disinfect Personal protective gear upon removal at the end of the day. If coveralls are not disposable, they must be laundered on site. If no laundry facilities are available, the coveralls must be immersed in liquid disinfectant until they can be washed. All potential infective waste material from cleanup operations that cannot be burned or deep buried on site must be double bagged in appropriate plastic bags. The bagged material must then be labeled as infectious and disposed of in accordance with the local requirements for infectious wastes. Rodent droppings and visible dust can be reservoirs for Hantavirus. If you are cleaning out a building that has been closed up, such as a cabin, shed or garage: 1. Air out the building for at least 30 minutes by opening windows and doors. 2. Leave the building while it is airing out. 3. Do not vacuum, sweep or stir. This may spread the virus through the air. 4. Thoroughly wet the contaminated areas with a 4 oz. of this product per gal. of water use solution (or equivalent use dilution) and allow to stand undisturbed for 10 minutes. 5. Carefully remove contaminated material and dispose by burial or burning. Contact your local and state health department for additional disposal methods. 6. Treat the surface again following the label directions and allow solution to stand undisturbed for 10 minutes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Wear goggles or face shield, chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

SCAN FOR
SDS



7 38435 20673 4