

PRO-LINE™

CLEANER; DISINFECTANT(NON-FOOD CONTACT) SANITIZER; DEODORIZER;
FUNGICIDE; MILDWSTAT;VIRUCIDE



- Registered with the U.S. Environmental Protection Agency.

PRO-LINE IS ON THE EPA'S EXPANDED COVID-19 DISINFECTANT LIST, WHICH INCLUDES EPA-REGISTERED DISINFECTANT PRODUCTS THAT HAVE QUALIFIED FOR USE AGAINST SARS-COV-2 FOR 2-MINUTE CONTACT TIME, THE NOVEL CORONAVIRUS THAT CAUSED COVID-19. USE CLEANING DIRECTIONS FOR CORONAVIRUS.

Pro-Line is a phosphate-free, pH neutral formulation designed to provide effective cleaning, deodorizing, and disinfection. This product is for use on hard, non-porous surfaces in hospitals, nursing homes, households, homes, day care centers, schools, food processing plants, food establishments, restaurants, transportation terminals, office buildings, factories, hotels, business, athletic facilities, and gyms. Pro-Line is a one step neutral disinfectant that is effective against a broad spectrum of bacteria, is virucidal* (including HIV-1, HBV and HCV) and inhibits the growth of mold and mildew and their odors when used as directed. Pro-Line, when used as directed,

is formulated to disinfect hard non-porous inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, sealed fiberglass, sealed granite, plastic surfaces, vanity tops, shower stalls, bathtubs, and cabinets.

DISINFECTION - To disinfect inanimate, hard non-porous surfaces add 4 ounces of Pro-Line per gallon of water. Apply solution with a mop, cloth, sponge, hand pump trigger sprayer or low pressure coarse sprayer so as to wet all surfaces thoroughly. Allow to remain wet for 10 minutes, then remove excess liquid. For sprayer applications, spray 6-8 inches from surface, rub with brush, sponge or cloth. Do not breathe the spray mist. For heavily soiled areas, a pre-cleaning step is required.

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Pre-clean equipment if visibly soiled to ensure proper surface contact. Prepare a use solution by adding 4 oz. of this product per gal. of water (or equivalent use dilution) (660 ppm active). Gently mix for uniform use solution. Apply use solution to surfaces of the respirator with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump,

coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe the spray. Treated surfaces must remain visibly wet for 10 minutes. Rub with brush, cloth, or sponge and remove excess solution from equipment prior to storage. The user must comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR § 1910.134). Prepare a fresh solution daily or when visibly dirty.

FOR HEAVY DUTY CLEANING OF TOILET BOWLS AND URINALS: Pre-clean visibly soiled areas. Empty water from toilet bowl or urinal and apply a use solution of 8 oz. of this product per gal. of water to exposed surfaces including under the rim with toilet brush/mop, cloth, or sponge, mechanical spray device, hand pump trigger spray device, coarse trigger spray device. For sprayer application, spray 6-8 inches from surface. Do not breathe the spray. To aid in soil removal, allow to soak. Allow surfaces to remain visibly wet for 10 minutes and flush.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii* (ATCC 19003), *Acinetobacter lwoffii* (ATCC 9957), *Acinetobacter lwoffii* (ATCC 15309), *Bordetella bronchiseptica* (ATCC 10580), *Chlamydia psittaci* (VR-125), *Citrobacter freundii* (ATCC 8090), *Enterobacter agglomerans* (ATCC 27155), *Enterobacter cloacae* (ATCC 13047), *Escherichia coli* (ATCC 11229), *Escherichia coli* O157:H7 (ATCC 35150), *Escherichia coli* (Carbapenem Resistant) (CDC 81371), *Escherichia coli* (Extended Spectrum B-Lactamase) (ESBL) (ATCC BAA-196), *Escherichia coli* (Tetracycline Resistant) (ATCC 47041), *Enterococcus faecalis* (ATCC 19433), *Enterococcus faecalis* (Vancomycin Resistant) (VRE) (ATCC 51299), *Enterococcus hirae* (ATCC 10541), *Fusobacterium necrophorum* (ATCC 27852), *Klebsiella aerogenes* (ATCC 13048), *Klebsiella oxytoca* (ATCC 13182), *Klebsiella pneumoniae* (ATCC 13883), *Klebsiella pneumoniae* (Carbapenem Resistant) (NDM-1) (ATCC BAA-2146), *Listeria monocytogenes* (ATCC 19117), *Micrococcus luteus* (ATCC 14452), *Micrococcus luteus* (ATCC 4698), *Pasturella multocida* (ATCC 12947), *Proteus vulgaris* (ATCC 9920), *Proteus vulgaris* (ATCC 13315), *Pseudomonas aeruginosa* (ATCC 15442), *Pseudomonas aeruginosa* (Tetracycline Resistant) (ATCC 27853), *Pseudomonas cepacia* (ATCC 25416), *Salmonella enterica* (ATCC 23564), *Salmonella enterica* (ATCC 10708), *Salmonella enteritidis* (ATCC 4931), *Salmonella enterica* serotype pullorum (ATCC 19945), *Salmonella typhi*

(ATCC 6539), *Salmonella typhimurium* (ATCC 23564), *Serratia marcescens* (ATCC 9103), *Serratia marcescens* (ATCC 14756), *Shigella flexneri* (ATCC 9380), *Shigella flexneri* (ATCC 12022), *Shigella sonnei* (ATCC 25931), *Staphylococcus aureus* (ATCC 6538), *Staphylococcus aureus* (ATCC 25923), *Staphylococcus aureus* (ATCC 33586), *Staphylococcus aureus* (ATCC 14154), *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 300), *Staphylococcus aureus* (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 400), *Staphylococcus aureus* (Methicillin Resistant) (MRSA) (ATCC 33592), *Staphylococcus epidermidis* (ATCC 14990), *Staphylococcus epidermidis* (Ampicillin, Cefazolin, Oxacillin, Penicillin Resistant) (ATCC 51625), *Streptococcus agalactiae* (ATCC 13813), *Staphylococcus haemolyticus* (ATCC 29970), *Streptococcus pneumoniae* (Penicillin Resistant) (ATCC 51915), *Streptococcus pyogenes* (ATCC 19615), *Streptococcus mutans* (ATCC 25175), *Staphylococcus aureus* (Vancomycin Intermediate Resistant) (VISA) (HIP 5836), *Vibrio cholera* (ATCC 11623), *Yersinia enterocolitica* (ATCC 23715).

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus (Reassortant Strain) (CDC 2006719965), Avian Influenza A (H3N2) Virus (Avian Reassortant) (VR-2072), Cytomegalovirus (AD-169), Coronavirus (SARS-associated) (CDC 200300592), Hantavirus (PHV), Hepatitis B Virus (HBV) (Duck Hepatitis B Virus), Hepatitis C Virus (HCV) (Bovine Viral Diarrhea Virus), Herpes Simplex Virus Type 1 (VR-733), Herpes Simplex Virus Type 2 (VR-734), Human Coronavirus (VR-740), Human Immunodeficiency Virus Type 1 (HIV 1) (AIDS Virus), Influenza A (H1N1) Virus (Strain A/PR/8/34), Influenza A (H3N2) Virus (Hong Kong Strain) (VR-544), Respiratory Syncytial Virus (VR-26), SARS-CoV-2 (SARS Coronavirus 2) (USA-WA1/2020) (BEI NR-52281) (COVID-19 virus) (2019-nCoV), Vaccinia Virus (VR-119).

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: *Klebsiella pneumoniae* (ATCC 4352), *Staphylococcus aureus* (ATCC 6538).

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: *Candida albicans* (ATCC 10231), *Trichophyton interdigitale* (formerly *T. mentagrophytes*) (ATCC 9533) (Athlete's foot fungus) (Ringworm fungus).

MILDWSTATIC PERFORMANCE: This product controls the following mold at 4 oz. of this product per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger* (ATCC 16404).

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.



Engineered Chemistries
SUPERIOR SOLUTIONS

WECHEM, INC.
5734 Susitna Dr. Harahan, LA 70123
504.733.1152 1.800.426.0512
FAX 504.733.2218 www.wechem.com