CHAMP is a neutral pH multi-surface cleaner, deodorizer and disinfectant. CHAMP is a phosphate-free formulation designed to provide effective cleaning, deodorizing and disinfection in areas where housekeeping is of prime importance in reducing cross-contamination on treated surfaces. This product is for use on hard, non-porous surfaces in hospitals, nursing homes, schools, transportation terminals, office buildings, factories, sports arenas, performance/theater centers, households, hotels, retail and wholesale establishments, and athletic facilities. CHAMP when used as directed is formulated to disinfect on hard, non-porous surfaces such as: finished floors, walls, metal, plated or stainless steel, glazed porcelain, olazed ceramic, loastic, vanity toos, shower stalls, bathtubs and olazed clies, and cabinets.

This product is an effective bactericide, virucide* and fungicide in the presence of organic soil 5% blood serum and 400 ppm hard water.

This product can be applied through electrostatic sprayers and low-pressure sprayers. Follow manufacturers' instructions when using this equipment.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 10 minutes at 2 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Acinetobacter baumannii (ATCC 19003), Acinetobacter Iwoffii (ATCC 9957), Acinetobacter Iwoffii (ATCC 15309), Bordetella bronchisentica (ATCC 10580), Chlamydia psittaci (VR-125), Citrobacter freundii (ATCC 8090), Enterobacter agglomerans (ATCC 27155), Enterobacter cloacae (ATCC 13047), Escherichia coli (ATCC 11229), Escherichia coli 0157:H7 (ATCC 35150), Escherichia coli (Carbapenem Resistant) (CDC 81371), Escherichia coli (Extended Spectrum B-Lactamase) (ESBL) (ATCC BAA-196), Escherichia coli (Tetracycline Resistant) (ATCC 47041), Enterococcus faecalis (ATCC 19433), Enterococcus faecalis (Vancomycin Resistant) (VRE) (ATCC 51299), Enterococcus hirae (ATCC 10541), Fusobacterium necrophorum (ATCC 27852), Klebsiella aerogenes (ATCC 13048), Klebsiella oxytoca (ATCC 13182), Klebsiella pneumoniae (ATCC 13883), Klebsiella pneumoniae (Carbapenem Resistant) (NDM-1) (ATCC BAA-2146), Listeria monocytogenes (ATCC 19117), Micrococcus luteus (ATCC 14452), Micrococcus luteus (ATCC 4698), Pasturella multocida (ATCC 12947), Proteus vulgaris (ATCC 9920), Proteus vulgaris (ATCC 13315), Pseudomonas aeruginosa (ATCC 15442), Pseudomonas aeruginosa (Tetracycline Resistant) (ATCC 27853), Pseudomonas cepacia (ATCC 25416), Salmonella enterica (ATCC 23564), Salmonella enterica (ATCC 10708), Salmonella enteritidis (ATCC 4931), Salmonella enterica serotype pullorum (ATCC 19945), Salmonella typhi (ATCC 6539), Salmonella typhimurium (ATCC 23564), Serratia marcescens (ATCC 9103), Serratia marcescens (ATCC 14756), Shigella flexneri (ATCC 9380), Shigella flexneri (ATCC 12022), Shigella sonnei (ATCC 25931), Staphylococcus aureus (ATCC 6538), Staphylococcus aureus (ATCC 25923), Staphylococcus aureus (ATCC 33586), Staphylococcus aureus (ATCC 14154), Staphylococcus aureus (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 300), Staphylococcus aureus (Community Associated Methicillin Resistant) (CA-MRSA) (Genotype USA 400), Staphylococcus aureus (Methicillin Resistant) (MRSA) (ATCC 33592), Staphylococcus epidermidis (ATCC 14990), Staphylococcus epidermidis (Ampicillin, Cefazolin, Oxacillin, Penicillin Resistant) (ATCC 51625), Streptococcus agalactiae (ATCC 13813), Staphylococcus haemolyticus (ATCC 29970), Streptococcus pneumoniae (Penicillin Resistant) (ATCC 51915), Streptococcus pyogenes (ATCC 19615), Streptococcus mutans (ATCC 25175), Staphylococcus aureus (Vancomycin Intermediate Resistant) (VISA) (HIP 5836), Vibrio cholerae (ATCC 11623). Yersinia enterocolitica (ATCC 23715).

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz, per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus (Reassortant Strain) (CDC 2006719965), Avian Influenza A (H3N2) Virus (Avian Reassortant) (VR-2072), Cytomegalovirus (AD-169), Coronavirus (SARS-associated) (CDC 20030052), Hepatitis B Virus (H8V) (Duck Hepatitis B Virus), Hepatitis C Virus (HCV) (Bovine Viral Diarrhea Virus), Herpes Simplex Virus Type 2 (VR-734), Human Coronavirus (VR-740), Human Coronavirus (VR-740), Human Coronavirus (VR-740), Human Immunodeficiency Virus Type 1 **W* HIV 1) (AIDS Virus), Influenza A (H3N1) Virus) (VR-544), Norovirus (Norwalk-like Virus) (Feline Calicivirus) (ATCC VR-782), Respiratory Syncytial Virus (VR-26), SARS-CoV-2*** (SARS Coronavirus 2) (BEI NR-52281) (COVID-19 virus), Vaccinia Virus (VR-119). *** Indicates a 2-minute contact time is required for this claim.

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 3 minutes at 2 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Klebsiella pneumoniae (ATCC 4352), Staphylococcus aureus (ATCC 6538).

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces: Candida albicans (ATCC 10231), Trichophyton interdigitale (formerly T. mentagrophytes) (ATCC 9533) (Athlete's foot fungus) (Ringworm fungus).

MILDEWSTATIC PERFORMANCE: This product controls the following mold at 2 oz. per gal. of 400 ppm hard water (660 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: Aspergillus niger (ATCC 16404).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Please read entire label and use strictly in accordance with precautionary statements and directions. Rinse hard, non-porous food contact surfaces with potable water after application of product. This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*, DEODORIZER, CLEANER:

- Pre-clean visibly soiled areas.
- Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump/coarse trigger spray device. For spray a solucitations, sorar 6-8 inches from surface. Do not breathe spray.
- 3. Treated surfaces must remain visibly wet for 2 minutes to kill SARS-CoV-2 or for 10 minutes to kill all organisms listed on the label.

 4. Wipe dry or allow to air dry.
- 5. Prepare a fresh solution daily or when visibly dirty.
- Frepare a new source of the restriction of the

In health care settings or other settings in which there is an expected likelihood of sold plant for the arms under the settings of the settings of the settings in which there is an expected likelihood of sold plant in which the surfaces/objects likely to be sociated with blood or body fluids can be associated with the potential for transmission of Human Immunodenfeiency fruits (per likely) to be sociated with Alboy, Heaptitis Virus (HBV) and Heaptitis (Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Wear protective latex gloves, gowns, masks and eve protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Allow hard, non-porous surfaces to remain visibly wet for 2 minutes to kill HIV and 10 minutes for all organisms listed on the label.



Is a no-rinse neutral pH disinfectant cleaner that disinfects, cleans and deodorizes hard, non-porous, non-food contact surfaces in one labor-saving step when used according to the disinfection directions.

Deodorizer • Fungicide • Mildewstat • Virucide*

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

WECHEM, INC. 5734 Susitna Dr. Harahan, LA 70123 Local: (504) 733-152 USA TOLL FREE: 1-800-426-0512 FAX: (504) 733-2218 * www.wechem.com EPA REG. NO. 10324-154-34370 EPA EST. NO. 34370-LA-001

NET CONTENTS: 1 U.S. GALLON BATCH #

K-22

Rev. 03.2024

FOR USE AS A DISINFECTANT AND VIRUCIDE* BY ELECTROSTATIC SPRAYING

Before use, remove bystanders and pets from the area to be treated. Wear an N95 filtering facepiece or half face respirator, eye protection, and gloves when spraying.

- Pre-clean visibly soiled surfaces.
- Fill the sprayer with a use solution of 2 oz. of this product per gal. of water.
- Set the unit to produce particles with a volume median diameter (VMD) of ≥40 μm.
- 4. For units that allow the electrostatic spray function to be turned on or off, set the electrostatic spray function to ON.
- 5. Spray hard, non-porous surfaces from 6 18 inches away until thoroughly wet.
- Allow surfaces to remain visibly wet for 10 minutes, reapplying if necessary. A 10-minute contact time is necessary to kill SARS-CoV-2 when
 this product is applied by electrostatic spraying.
 - Allow spray to settle before reentering treated areas.
- 8. Wipe dry or allow to air dry.

CLEANING AND DISINFECTING HARD, NON-POROUS SURFACES ON PERSONAL PROTECTIVE EQUIPMENT (RESPIRATORS): Pre-clean equipment fivelish golied to ensure proper surface contact. Prepare a use solution by adding 2 oz. of this product per divater for equivalent use dilution) (660 ppm active). Gently mix for uniform use solution. Apply use solution to surfaces of the respirator with a sponge, brush, cloth, by immersion, mechanical spray device, hand pump/coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain visibly wet for 10 minutes. Bub with brush, cloth, or sponge and new excess solution from equipment prior to storage. The user must comply with all OSHA regulations for cleaning respiratory protection equipment (29 CFR § 1910.134). Prepare a fresh solution daily or when visibly dirty.

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean visibly soiled areas. Add 2 oz. of this product per gal. of water (660 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, doth, mop, by immersion, auto scrubber, mechanical spray device, hand pump/coarse trigger spray device. For spray applications, spray 6-8 inches from the surface. Do not breathe spray. Treated surfaces must remain visibly witrv.

TO CONTROL THE GROWTH OF MOLD AND MILDEW ON LARGE INFLATABLE NON-POROUS PLASTIC AND RUBBER STRUCTURES: For use on nonporous plastic and rubber surfaces such as inflatable animals, promotional items, moonwalks, sildes, obstacle course play and exercise equipment. Thoroughly clean surfaces with soap or detergent and rinse with water. Apply a use solution of 2 oz, of this product per gal. of water by sponge, brush, cloth, mop, mechanical spray device, hand pump/coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Do not use equipment until treatment has been absorbed, set or dried. Repeat treatment every seven days, or more often if new growth appears.

SEWER BACKUP & RIVER FLOODING: To use as a deodorizer, dilute 2 - 4 oz. of this product per gal. of water allowing for the diluting effect of absorbed water within saturated materials. Remove gross filth or heavy soil along with non-salvageable materials. Saturate all affected areas with a mechanical spray device, coarse pump or trigger spray device before and after cleaning and extraction. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Use proper ventilation; open windows. (Not for use in CA.)

CARPETS, CARPET CUSHIONS, UPHOLSTERY, DRAPES AND OTHER POROUS MATERIALS, SUB FLOORS, DRYWALL, TRIM AND FRAME LUMBER, TACKLESS STRIP AND PALEIMGE. To use as a deedorizer against water damage, extract the excess water. Test hidden area for colorfastness. Dilute 2 - 4 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water bins saturated materials. Remove gross filth or heavy soil. Apply directly with a mechanical spray device or coarse pump or trigger spray device to fully saturate affected materials. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Roll, brush or agitate into materials. Follow with a thorough extraction. Dry rapidly and thoroughly, (Not for use in CA.)

WATER AND SMOKE DAMAGE RESTORATION: Effective against odor caused by smoke and water damage. This product is particularly suitable for use in water damage restoration. Dilute 2 - 4 oz. of this product per gal. of water, allowing for the diluting effect of absorbed water within saturated materials. Saturate affected materials with enough product to remain visibly wet for at least 10 minutes. Use proper ventilation. (Not for use in CA.)

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 'a full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DAMGER. Cornosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not get in eye, on skin, or on clothing. Do not breathe spray mist. Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash throughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters and shrimp.

