

For use on desks, shelves, racks, chairs, trash cans and other hard, non-porous surfaces. This product is for use on hard, non-porous surfaces in schools, colleges, dormitories, bars, classrooms, restaurants, cafeterias, and institutional kitchens.

FOOD CONTACT SURFACE SANITIZING PERFORMANCE:

This product is an effective food contact sanitizer in 1 minute at 1 fl. oz. per 4 gal. of 500 ppm hard water (200 ppm active) on hard, non-porous surfaces against: Aeromonas hydrophila, Campylobacter jejuni, Enterococcus faecalis Vancomycin Resistant, Escherichia coli, Escherichia coli O103:K:H8, Escherichia coli O111:H8, Escherichia coli O121:K:H10, Escherichia coli O145:H28, Escherichia coli O157:H7, Escherichia coli O26:H11, Escherichia coli O45:K:H-, Klebsiella pneumoniae, Listeria monocytogenes, Salmonella enterica, Salmonella enteritidis, Salmonella typhi, Shigella dysenteriae, Shigella sonnei, Staphylococcus aureus, Staphylococcus aureus Methicillin Resistant (MRSA), Streptococcus pyogenes, Yersinia enterocolitica. This product is an effective food contact sanitizer in 1 minute at 0.75 fl. oz. per 4 gal. of 300 ppm hard water (150 ppm active) on hard, non-porous surfaces against: Escherichia coli, Staphylococcus aureus. This product is an effective food contact sanitizer in 1 minute at 2 fl. oz. per 4 gal. of 1000 ppm hard water (400 ppm active) on hard, non-porous surfaces against: Escherichia coli, Staphylococcus aureus.

DISINFECTANT PERFORMANCE: This product kills the following bacteria in 10 minutes at 1.2 fl. oz. per 2 gal. of 200 ppm hard water (450 ppm active) and 5% soil on hard, non-porous surfaces: Burkholderia cepacia, Campylobacter jejuni, Corynebacterium ammoniagenes, Enterococcus faecalis Vancomycin Resistant (VRE), Escherichia coli O157:H7, Klebsiella pneumoniae, Listeria monocytogenes, Pseudomonas aeruginosa, Rhodococcus equi, Salmonella enterica, Salmonella enterica serovar typhimurium, Salmonella typhi, Staphylococcus aureus, Staphylococcus aureus Community Associated Methicillin Resistant (CA MRSA), Staphylococcus aureus Methicillin Resistant (MRSA), Streptococcus equi.

VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 1.2 fl. oz. per 2 gal. of 200 ppm hard water (450 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A (H5N1) Virus, Herpes Simplex Type 1 Virus, Herpes Simplex Type 2 Virus, Human Coronavirus, Human Immunodeficiency Virus Type 1† (HIV-1) (AIDS Virus), Influenza A (H1N1) Virus, Influenza A2 (H3N2) Virus, Vaccinia Virus. This product kills the following viruses in 10 minutes at 3 fl. oz. per 2 gal. of 200 ppm hard water (1175 ppm active) and 5% soil on hard, non-porous surfaces: **Norovirus (Norwalk-like virus), ***SARS-CoV-2† (SARS Coronavirus 2) (USA-WA1/2020) (BEI NR-52281) (COVID-19 Virus) (2019-nCoV).

This product kills the following viruses in 10 minutes at 4.5 oz. per 2 gal. of 200 ppm hard water (1750 ppm active) and 5% soil on hard, non-porous surfaces: ***Hepatitis B Virus (HBV) (Duck Hepatitis B Virus) (DHBV), ***Hepatitis C Virus (HCV) (VR-1422) (Bovine Viral Diarrhea Virus).

†Indicates a 2-minute contact time is required for this claim.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Before using this product, food products and packaging materials must be removed from the room or carefully protected.


FOR USE AS A GENERAL DISINFECTANT, VIROCIDE*, CLEANER: 1. Pre-clean visibly soiled areas. 2. Apply use solution of 1.2 fl. oz. of this product per 2 gal. of water (or equivalent use dilution) to disinfect hard, non-porous, non-food contact surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, hand pump trigger spray device, coarse trigger spray device. For spray applications, spray 6 - 8 inches from surface. Do not breathe spray. 3. Treated surfaces must remain visibly wet for 10 minutes. 4. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. 5. Prepare a fresh solution daily or when visibly dirty.

****TO KILL NOROVIRUS:** Pre-clean visibly soiled surfaces. Prepare use solution by adding 3 fl. oz. of this product per 2 gal. of water (or equivalent dilution) (1175 ppm active). Apply use solution to hard, non-porous, non-food contact surfaces. Allow surface to remain visibly wet for 10 minutes. Wipe surfaces and let air dry.

****TO KILL SARS-COV-2:** Pre-clean visibly soiled areas. Apply a use solution of 3 fl. oz. of this product per 2 gal. of water (or equivalent use dilution) to hard, non-porous surfaces. Allow treated surfaces to remain visibly wet for 2 minutes. Rinse with potable water after use on surfaces that come in contact with food.

*****TO KILL HEPATITIS B VIRUS* AND HEPATITIS C VIRUS*:** Pre-clean visibly soiled surfaces. Prepare use solution by adding 4.5 fl. oz. of this product per 2 gal. of water (or equivalent use dilution) (1750 ppm active). Apply use solution to hard, non-porous, non-food contact surfaces. Allow surfaces to remain visibly wet for 10 minutes. Wipe surfaces and let air dry.

***KILLS HIV, HBV, AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).



Engineered Chemistries

SUPERIOR SOLUTIONS

Sani-Guard™

Disinfectant • Sanitizer • Virucide*

ACTIVE INGREDIENTS:

Alkyl (50% C14, 40% C12, 10% C16)	
Dimethyl Benzyl Ammonium Chloride	4.0%
Octyl Decyl Dimethyl Ammonium Chloride	3.0%
Diodecyl Dimethyl Ammonium Chloride	1.5%
Diocetyl Dimethyl Ammonium Chloride	1.5%
OTHER INGREDIENTS:	90.0%
TOTAL:	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

When the product has been diluted according to the directions for use, medical attention is not required for exposure.

BATCH:

EPA Reg. No. 10324-117-34370

EPA Est. No. 34370-LA-001

NET CONTENTS: 1 U.S. Gallon

J-22

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear rubber gloves, gowns, masks, and eye protection. Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. Contact Time: Allow hard, non-porous surface to remain visibly wet for 2 minutes to kill HIV and for 10 minutes to kill all other viruses and bacteria listed on the label.

FOOD CONTACT SURFACE SANITIZING DIRECTIONS: Prior to application, remove gross food particles and soil by a pre-flush or pre-scrub and when necessary, presoak. Then thoroughly wash or flush objects with a good detergent or compatible cleaner, followed by a potable water rinse before applications of the sanitizing solution.

FOOD CONTACT SURFACE SANITIZING PERFORMANCE DIRECTIONS: Immerse pre-cleaned glassware, dishes, silverware, cooking utensils and other similarly sized food processing equipment in a solution of 0.75 - 2 fl. oz. of this product per 4 gal. of water (0.2 - 0.5 fl. oz. per gal. of water) (150-400 ppm active quat) (or equivalent use dilution) for at least 1 minute. Allow sanitized surfaces to adequately drain before contact with food. Do not rinse. For articles too large for immersing, apply a use solution of 0.75 - 2 fl. oz. of this product per 4 gal. of water (0.2 - 0.5 fl. oz. per gal. of water) (150-400 ppm active quat) (or equivalent use dilution) to sanitize hard, non-porous food contact surfaces with a brush, cloth, mop, sponge, auto scrubber. For spray applications, spray 6-8 inches from the surface. Do not breathe spray. Surfaces must remain visibly wet for at least 1 minute. Allow sanitized surfaces to adequately drain before contact with food. Do not rinse. Prepare a fresh solution daily or when visibly dirty. For mechanical application, use solution must not be reused for sanitizing applications.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER. Corrosive. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed or absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse. When applying the diluted product in accordance with the directions for use, protective clothing, protective eyewear, and gloves are not required.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, aquatic invertebrates, oysters, and shrimp.

Sold by: WEICHEM, INC.
5734 Susitna Drive, Harahan, LA 70123
(504) 733-1152 • 800-426-0512
FAX: (504) 733-2218 • www.wechem.com

