WECHEM Engineered Chemistries Superior Solutions **SDS**

Ice Buster (Rev 8-31-26)

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Ice Buster (Rev 8-31-26)
SDS Number: I95A
Product Code: I95
Revision Date: 8/31/2026
Product Use: Rapid Ice-Thawing Solution

Supplier Details: Wechem, Inc
5734 Susitna Dr
Harahan, LA 70123

Contact: Ligia M. Hernandez
Phone: 504-733-1152
Fax: 504-733-2218
Web: www.wechem.com

Emergency Telephone Number:
INFOTRAC
1-800-535-5053

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Liquids, 2
Health, Acute toxicity, 4 Oral
Health, Skin corrosion/irritation, 2
Health, Reproductive toxicity, 1 B
Health, Reproductive toxicity, Effects on or via Lactation
Health, Specific target organ toxicity - Single exposure, 1
Health, Specific target organ toxicity - Repeated exposure, 2

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER

GHS Hazard Pictograms:



GHS Hazard Statements:

H225 - Highly flammable liquid and vapour
H302 + H312 + H332 - Harmful if swallowed, in contact with skin or if inhaled
H315 + H320 - Causes skin and eye irritation
H360 - May damage fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)
H362 - May cause harm to breast-fed children
H370 - Causes damage to organs (blood, central nervous system, eyes) (Inhalation)
H373 - May cause damage to organs (kidneys) through prolonged or repeated exposure (oral)

GHS Precautionary Statements:

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
P233 - Keep container tightly closed.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242 - Use non-sparking tools.
P243 - Take action to prevent static discharges.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.
P263 - Avoid contact during pregnancy and while nursing.
P264 - Wash hands thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P308 + P311 - IF exposed or concerned: Call a POISON CENTER/doctor/...
P308 + P313 - IF exposed or concerned: Get medical advice/ attention.
P310 - Immediately call a POISON CENTER or doctor/physician.
P314 - Get medical advice/attention if you feel unwell.
P315 - Get immediate medical advice/attention.
P321 - Specific treatment refer to the label or safety data sheet for further details.
P333 + P313 - If skin irritation or a rash occurs: Get medical advice/attention.
P337 + P313 - If eye irritation persists: Get medical advice/attention.
P370 + P378 - In case of fire: Use CO2, or dry chemical to extinguish.
P403 + P235 - Store in a well ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance to local/regional/national/international regulations.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Ingestion, skin absorption, inhalation, eye
Target Organs: May Cause Damage to Organs with repeated exposure.
May damage fertility of the unborn child.
May cause harm to breast-fed children.
Inhalation: Harmful if inhaled.
Skin Contact: Repeated or prolonged skin contact may cause irritation.
Eye Contact: Serious eye irritation.
Ingestion: Harmful if swallowed.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients

CAS#	%	Chemical Name
107-21-1	25-35%	Ethylene glycol
67-56-1	20-30%	Methanol
111-46-6	1-5%	Diethylene glycol

4 FIRST AID MEASURES

Inhalation: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable forbreathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soapand water. If skin irritation occurs: Get medical advice/attention.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician. Swallowing methanol is potentially lethal, symptoms of methanol poisoning can be delayed for 24 hours. If swallowed do not delay seek medical attention immediately. Never give anything by mouth to an unconscious person.

5 FIRE FIGHTING MEASURES

Flammability: Flammable
Suitable extinguishing media : Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.

Unsuitable extinguishing media : Solid water jet ineffective as extinguishing medium.

Fire hazard : Flammable liquid and vapor. A methanol fire may not be visible to the naked eye.

Reactivity : Upon combustion: CO and CO2 are formed.

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposedcontainers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Flash Point: 90 F (32 C)

Flash Point Method: ASTM D93A (PMCC)

6 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray). Flammable liquid – can burn without a visible flame.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE). Do not walk through spilled material. Ventilate if released in a confined area.

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Stop leak if safe to do so. Eliminate ignition sources. Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill. Use an explosion proof pump to remove bulk material. Residual liquid can be absorbed on inert material. Use only Non SPARKING tools.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

7 HANDLING AND STORAGE

Handling Precautions:

Flammable liquid. Do not store or handle at elevated temperatures. Any use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained. Practice good housekeeping - spillage can be slippery on smooth surface either wet or dry. Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Comply with the legal requirements. Do not handle until all safety precautions have been read andunderstood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink orsmoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the containerwith care. Keep away from sources of ignition - No smoking. Take precautions against electrostaticcharges. Obtain special instructions before use. Remove contaminated clothing immediately.

Storage Requirements:

Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage Conditions: Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from:sparks, open flames, excessive heat.

Incompatible Materials: Oxidizers and strong acids or bases. Contact with these materials can cause violent or explosive reactions. May react with metallic aluminum or magnesium to generate explosive hydrogen gas.

T
Incompatible products : Sources of ignition. Heat sources.

Storage area : Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep locked up.

Special rules on packaging : Keep only in original container. meet the legal requirements.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Personal Protective Equipment: Protective goggles. Gloves. Insufficient ventilation: wear respiratory protection.

Materials for Protective Clothing: Chemically resistant materials and fabrics.

Hand Protection: Wear butyl rubber or nitrile rubber protective gloves.

Eye Protection: Face shield or Chemical goggles when splashing may occur. If possible remove contact lenses before handling.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use.

Ethylene glycol cas#:(107-21-1) [25-35%]

Components with workplace control parameters
See Appendix D - Substances with No Established RELs

C 50 ppm 125 mg/m3 — USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

C 100 mg/m3 — USA. ACGIH Threshold Limit Values (TLV)
Eye & Upper Respiratory Tract irritation
Not classifiable as a human carcinogen

Methanol cas#:(67-56-1) [20-30%]

Components with workplace control parameters

TWA 200 ppm — USA. ACGIH Threshold Limit Values (TLV)
Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI section) Danger of cutaneous absorption

STEL 250 ppm — USA. ACGIH Threshold Limit Values (TLV)
Headache Eye damage Substances for which there is a Biological Exposure Index or Indices (see BEI section) Danger of cutaneous absorption

TWA 200 ppm 260 mg/m3 — USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin notation

STEL 250 ppm 325 mg/m3 — USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
Skin notation

TWA 200 ppm USA. Occupational Exposure Limits (OSHA) - Table Z- 1
260 mg/m3 Limits for Air Contaminants
The value in mg/m3 is approximate.

TWA 200 ppm USA. NIOSH Recommended Exposure Limits
260 mg/m3
Potential for dermal absorption

ST 250 ppm USA. NIOSH Recommended Exposure Limits
325 mg/m3
Potential for dermal absorption

Diethylene glycol cas#:(111-46-6) [1-5%]

Components with workplace control parameters

TWA 10 mg/m3 USA. Workplace Environmental
Exposure Levels (WEEL)

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear Blue

Pour Point (ASTM D97) = <-98 F (<-72 C)

Physical State: Liquid

Odor: glycol- alcohol odor

Solubility: Complete

Spec Grav./Density: 0.99 +/-0.1

Freezing/Melting Pt.: Freezing Point = <-74 F (<-59 C)

Flash Point: 90 F (32 C)

Vapor Density: (Air=1): > 1

pH: 8 +/- 1

VOC: 58%wt

10 STABILITY AND REACTIVITY

Reactivity: Has low vapor pressure – vapors may form explosive mixtures with air. Upon combustion: CO and CO2 are formed.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Conditions to Avoid: Contact with heat, sparks, open flame incompatible materials, and other ignition sources.

Materials to Avoid: Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition: Primarily oxidizes to carbon dioxide in normal combustion conditions. In lower oxygen environments carbon monoxide, formaldehyde, or formic acid may be formed.

Hazardous Polymerization: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 TOXICOLOGICAL INFORMATION

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : May damage fertility or the unborn child. May cause harm to breast-fed children.
Specific target organ toxicity – single exposure : Causes damage to organs (blood, central nervous system, eyes) (Inhalation).
Specific target organ toxicity – repeated exposure
: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).
Aspiration hazard : Not classified
Symptoms/effects after inhalation : Harmful if inhaled.
Symptoms/effects after skin contact : Harmful in contact with skin.
Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating.
Symptoms/effects after ingestion : Harmful if swallowed.
Likely routes of exposure : Skin and eye contact

Ethylene glycol cas#:(107-21-1) [25-35%]

Information on toxicological effects

Acute toxicity:
LD50 Oral - rat - 4,700 mg/kg
Inhalation: no data available

LD50 Dermal - rabbit - 10,626 mg/kg

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: Eyes - rabbit Result: Mild eye irritation - 24 h

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:
This product is or contains a component that is probably not carcinogenic based on its IARC, ACGIH, NTP, or EPA classification.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Laboratory experiments have shown teratogenic effects.

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: KW2975000

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary ede ma, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.
Central nervous system - Irregularities - Based on Human Evidence

Methanol cas#:(67-56-1) [20-30%]

Information on toxicological effects

Acute toxicity:
Oral LD50 LDLO Oral - Human - 143 mg/kg Remarks: Lungs, Thorax, or Respiration:Dyspnea. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
LD50 Oral - rat - 1,187 - 2,769 mg/kg
Inhalation LC50 LC50 Inhalation - rat - 4 h - 128.2 mg/l
LC50 Inhalation - rat - 6 h - 87.6 mg/l
Dermal LD50 LD50 Dermal - rabbit - 17,100 mg/kg
Other information on acute toxicity no data available

Skin corrosion/irritation: Skin - rabbit - No skin irritation

Serious eye damage/eye irritation: Eyes - rabbit - No eye irritation

Respiratory or skin sensitisation: Maximisation Test - guinea pig - OECD Test Guideline 406 - Does not cause skin sensitisation.

Germ cell mutagenicity: Genotoxicity in vitro - Ames test - S. typhimurium - with and without metabolic activation - negative Genotoxicity in vitro - in vitro assay - fibroblast - negative Mutation in mammalian somatic cells.

Genotoxicity in vivo - mouse - male and female - Intraperitoneal - negative

Carcinogenicity:
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Fertility classification not possible from current data.

Teratogenicity: Damage to fetus not classifiable

Specific target organ toxicity - single exposure (Globally Harmonized System):
Causes damage to organs.

Specific target organ toxicity - repeated exposure (Globally Harmonized System):
The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard: No aspiration toxicity classification

Potential health effects: Inhalation Toxic if inhaled. May cause respiratory tract irritation. Ingestion Toxic if swallowed. Skin Toxic if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: Methyl alcohol may be fatal or cause blindness if swallowed. Effects due to ingestion may include:, Headache, Dizziness, Drowsiness, metabolic acidosis, Coma, Seizures. Symptoms may be delayed., Damage of the:, Liver, Kidney

Synergistic effects: no data available

Additional Information:

RTECS: PC1400000

Diethylene glycol cas#:(111-46-6) [1-5%]

Information on toxicological effects

Acute toxicity:
LD50 Oral - rat - 12,565 mg/kg
Inhalation: no data available

LD50 Dermal - rabbit - 11,890 mg/kg

Skin corrosion/irritation: Skin - rabbit Result: Mild skin irritation

Serious eye damage/eye irritation: Eyes - rabbit Result: Mild eye irritation

Respiratory or skin sensitisation: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure: no data available

Specific target organ toxicity - repeated exposure: no data available

Aspiration hazard: no data available

Additional Information:

RTECS: ID5950000

Confusion., Dizziness, Kidney injury may occur., Unconsciousness, Convulsions, Pulmonary edema. Effects may be delayed., Nausea, Headache, Vomiting
Liver - Irregularities - Based on Human Evidence

12 ECOLOGICAL INFORMATION

Ethylene glycol cas#:(107-21-1) [25-35%]

Information on ecological effects

Toxicity:
Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 18,500 mg/l - 96 h.
LC50 - Leuciscus idus (Golden orfe) - > 10,000 mg/l - 48 h
NOEC - Pimephales promelas (fathead minnow) - 32,000 mg/l - 7 d
NOEC - Pimephales promelas (fathead minnow) - 39,140 mg/l - 96 h
Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 74,000 mg/l - 24 h.
other aquatic invertebrates
NOEC - Daphnia - 24,000 mg/l - 48 h
LC50 - Daphnia magna (Water flea) - 41,000 mg/l - 48 h

Persistence and degradability: no data available

Ratio BOD/ThBOD 0.78 %

Bioaccumulative potential: Does not bioaccumulate. Bioaccumulation other fish - 61 d - 50 mg/l

Bioconcentration factor (BCF): 0.60

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

Methanol cas#:(67-56-1) [20-30%]

Information on ecological effects

Toxicity:
Toxicity to fish mortality LC50 - Lepomis macrochirus (Bluegill) - 15,400.0 mg/l - 96 h.
NOEC - Oryzias latipes - 7,900 mg/l - 200 h
Toxicity to daphnia EC50 - Daphnia magna (Water flea) - > 10,000.00 mg/l - 48 h.
and other aquatic invertebrates

Toxicity to algae Growth inhibition EC50 - Scenedesmus capricornutum (fresh water algae) - 22,000.0 mg/l -:
96 h

Persistence and degradability: Biodegradability aerobic Result: 72 % - rapidly biodegradable

Bioaccumulative potential: Bioaccumulation Cyprinus carpio (Carp) - 72 d at 20 °C Bioconcentration factor (BCF): 1.0

Mobility in soil: Will not adsorb on soil.

PBT and vPvB assessment: Results of PBT This substance is not considered to be persistent, bioaccumulating nor toxic (PBT)., This assessment substance is not considered to be very persistent nor very bioaccumulating (vPvB).

Other adverse effects: Biochemical Oxygen 600 - 1,120 mg/g Demand (BOD)

Chemical Oxygen 1,420 mg/g Demand (COD)
Additional ecological Avoid release to the environment. information

Diethylene glycol cas#:(111-46-6) [1-5%]

Information on ecological effects

Toxicity:
Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 75,200 mg/l - 96 h.
LC50 - Carassius auratus (goldfish) - 5,000 mg/l - 24 h
Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - > 10,000 mg/l - 24 h.
other aquatic invertebrates

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects: no data available

13 DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not empty into drains; dispose of this material and its container in a safe way. Do not empty into drains. Do not dispose of waste into sewer.
Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

14 TRANSPORT INFORMATION

In Accordance with DOT UN No - UN1986 Proper Shipping Name – Alcohols, flammable, toxic, n.o.s. (Methanol solution) UN Class - 3 Packing group – III Marine Pollutant – No Special Provisions – IB2, T7, TP2 Packaging Exceptions – 150 Packaging NON Bulk – 202 Packaging Bulk - 204

In Accordance with IMDG UN No - UN 1986 Proper Shipping Name - Alcohols, flammable, toxic, n.o.s. (methanol solution) UN Class 3(6.1) Packing Group III Stowage Cat. “A” (on deck or under deck)

In Accordance with IATA UN No - UN 1986 Proper Shipping Name- Alcohols, flammable, toxic, n.o.s. (methanol solution) UN Class 3(6.1) Packing Group - III Passenger Aircraft – less than 60L Cargo Aircraft – less than 220L

In Accordance with TDG Not regulated for transport

15 REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[25-35%] RQ(5000LBS), Ethylene glycol (107-21-1) CERCLA, HAP, MASS, NJHS, OSHAWAC, PA, PROP65, SARA313, TSCA, TXAIR

[20-30%] RQ(5000LBS), Methanol (67-56-1) CERCLA, GADSL, HAP, MASS, NJHS, OSHAWAC, PA, PROP65, SARA313, TOXICRCRA, TSCA, TXAIR, TXHWL

[1-5%] Diethylene glycol (111-46-6) HAP, PA, TSCA

WARNING **This product can expose you to chemicals including Ethylene glycol (ingested), and Methanol, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.**

Regulatory Code Legend

CERCLA = Superfund clean up substance
GADSL = Global Automotive Declarable Substance List (GADSL)
HAP = Hazardous Air Pollutants
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHAWAC = OSHA Workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
PROP65 = CA Prop 65
RQ = Reportable Quantity
SARA313 = SARA 313 Title III Toxic Chemicals
TOXICRCRA = RCRA Toxic Hazardous Wastes (U-List)
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level

16 OTHER INFORMATION

We believe the statements technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.
N/A = Not available N/D = Not determined

Revision Date: 8/31/2026
Print Date: 09/01/2026